NEW YORK CITY ENVIRONMENTAL QUALITY REVIEW
DRAFT ENVIRONMENTAL IMPACT STATEMENT

RIVER NORTH (FORMERLY LIBERTY TOWERS)

CEQR NUMBER: 20DCP140R

170-208 RICHMOND TERRACE & 8-26 STUYVESANT PLACE

BOROUGH OF STATEN ISLAND



Prepared For:
Richmond SI Owner LLC
117 Avenue of the Americas
Manhattan, New York, 10036

Lead Agency:
NYC Department of City Planning
120 Broadway, 31st Floor
Manhattan, New York, 10271

Prepared By:
Langan Engineering, Environmental, Surveying, Landscape Architecture, and Geology D.P.C.
21 Penn Plaza
360 West 31st Street, 8th Floor
New York, New York 10001

LANGAN

3 May 2021

River North (Formerly Liberty Towers)
DRAFT ENVIORNMENTAL IMPACT STATEMENT
(DEIS)

May 3, 2021

Project Location:	Block 13, Lots 82, 92, 100, and p/o 8 ("Tentative Lot 95") Staten Island Community District 1
CEQR No.	20DCP140R
Type of Action:	Unlisted
ULURP Nos.	210289 ZMR N210290 ZRR 210291 ZSR
Lead Agency:	City Planning Commission, City of New York Marisa Lago, Chair
Lead Agency Contact:	Olga Abinader Director, Environmental Assessment and Review Division New York City Department of City Planning 120 Broadway, 31st Floor New York, NY 10271
Project Applicants:	Richmond SI Owner LLC
Prepared by:	Langan Engineering & Environmental Services RWDI Cerami & Associates Tenen Environmental
Acceptance Date:	May 3, 2021

A public hearing on the Draft Environmental Impact Statement (DEIS) will be held at a later date to be announced. Advance notice will be given of the time and place of the hearing. Written comments on the DEIS are requested and will be received and considered by the Lead Agency until the 10th calendar day following the close of the public hearing.

The DEIS is available on the website of the New York City Department of City Planning: http:// www1.nyc.gov/site/planning/applicants/eis-documents.page.

LANGAN

Table of Contents

Executive Summary 1
Introduction 1
Background and Existing Conditions 1
Proposed Actions 8
Purpose and Need 10
Proposed Development 11
Analysis Framework 12
Probable Impacts of the Proposed Actions 16
1 Project Description 1-1
1.1 Introduction 1-1
1.2 Proposed Actions 1-1
1.3 Project Area and Development Sites 1-3
1.4 Proposed Development 1-5
1.5 Purpose and Need 1-6
1.6 Analysis Framework 1-7
2 Socioeconomic Conditions 2-1
2.1 Introduction 2-1
2.2 Principal Conclusions 2-1
2.3 Methodology 2-3
2.4 Preliminary Indirect Residential Displacement Assessment 2-7
2.5 Detailed Indirect Residential Displacement Assessment 2-11
3 Open Space 3-1
3.1 Introduction 3-1
3.2 Principal Conclusions 3-1
3.3 Methodology 3-2
3.4 Detailed Assessment 3-5
4 Hazardous Materials 4-1
4.1 Introduction 4-1
4.2 Principal Conclusions 4-1
4.3 Methodology 4-2
4.4 Existing Conditions 4-4
4.5 No-Action Condition 4-5
4.6 With-Action Condition 4-6
5 Transportation 5-1
5.1 Introduction 5-1
5.2 Principal Conclusions 5-2
5.3 Transportation Screening Assessment 5-4
6 Air Quality 6-1
6.1 Introduction 6-1
6.2 Principal Conclusions 6-1
6.3 Methodology 6-3
6.4 Assessment 6-5
7 Greenhouse Gas Emissions and Climate Change 7-1
7.1 Introduction 7-1
7.2 Principal Conclusions 7-2
7.3 Methodology 7-2
7.4 Assessment 7-5

7.5 Projected GHG Emissions from the Proposed Actions 7-7
8 Noise 8-1
8.1 Introduction 8-1
8.2 Principal Conclusions 8-1
8.3 Methodology 8-2
8.4 Existing Noise Levels 8-5
8.5 No-Action Noise Levels 8-5
8.6 With-Action Noise Levels 8-6
8.7 Assessment 8-7
9 Public Health 9-1
9.1 Introduction 9-1
9.2 Principal Conclusions 9-1
9.3 Preliminary Screening 9-1
10 Neighborhood Character 10-1
10.1 Introduction 10-1
10.2 Principal Conclusions 10-1
10.3 Methodology 10-2
10.4 Existing Conditions 10-3
10.5 Assessment 10-4
11 Construction 11-1
11.1 Introduction 11-1
11.2 Principal Conclusions 11-2
11.3 Methodology 11-6
11.4 Preliminary Assessment 11-6
11.5 Detailed Assessment 11-16
12 Alternatives 12-1
12.1 Introduction 12-1
12.2 No-Action Alternative 12-2
12.3 No Unmitigated Significant Adverse Impact Alternative 12-6
13 Mitigation 13-1
13.1 Introduction 13-1
13.2 Principal Conclusions 13-1
13.3 Open Space 13-4
13.4 Transportation 13-5
13.5 Air Quality 13-11
13.6 Construction 13-12
14 Unavoidable Adverse Impacts 14-1
14.1 Introduction 14-1
14.2 Open Space 14-1
14.3 Transportation 14-2
14.4 Construction 14-3
15 Growth-Inducing Aspects of the Proposed Project 15-1
15.1 Introduction 15-1
16 Irreversible and Irretrievable Commitments of Resources 16-1
16.1 Introduction 16-1

Table of Figures

Figure 1: Regional Location Map 2
Figure 2: Project Area Map 3
Figure 3: Tax Map 4
Figure 4: Existing Zoning Map 5
Figure 5: No-Action Site Plan 13
Figure 6: With-Action Site Plan 14
Figure 5-1: Transit Map 5-10
Figure 5-2: Traffic Study Area 5-13
Figure 5-3: Pedestrian Study Area 5-15
Figure 5-4: Parking Survey Map 5-38
Figure 6-1: Receptors 400 Feet or Taller Within 400 Feet of Development Sites 6-5
Figure 6-2: Nearest Receptors by Building 6-6
Figure 6-3: Building 2 SO_2 Boiler Screen – Residential Fuel Oil #2 6-7
Figure 6-4: Building 2 NO_2 Boiler Screening – Residential Development Natural Gas 6-8
Figure 6-5: Building 3 SO_2 Boiler Screen – Residential Fuel Oil #2 6-9
Figure 6-6: Building 3 NO_2 Boiler Screening – Residential Development Natural Gas 6-9
Figure 6-7: Building 4 SO_2 Boiler Screen – Residential Fuel Oil #2 6-10
Figure 6-8: Building 4 NO_2 Boiler Screening – Residential Development Natural Gas 6-11
Figure 8-1: Site Map and Survey Locations 8-4
Figure 11-1: Illustrative Construction Site Plan 11-9
Figure 11-2: Illustrative Sightlines Between Projected Development Sites and Castleton Park Apartments 11-11
Figure 11-3: Short Term (24-hour) $PM_{2.5}$ Construction Emission Profile 11-30
Figure 11-4: Receptor Locations 11-40

Table of Tables

Table 1: Proposed Development - Floor Area by Use 11
Table 2: Project Increment by Use 16
Table 3: Percent Change in Open Space Ratio 20
Table 4: Summary of Potentially Significant Adverse Traffic Impacts due to the Proposed Actions 34
Table 5: Summary of Potentially Significant Adverse Traffic Impacts due to Construction 34
Table 1-1: Proposed Development - Floor Area by Use 1-5
Table 1-2: Project Increment by Use 1-10
Table 5-1: Incremental Difference between No-Action and With-Action Conditions 5-2
Table 5-2: Transportation Planning Assumptions 5-6
Table 5-3: Transportation Demand Forecast, No-Action Condition 5-7
Table 5-4: Transportation Demand Forecast, With-Action Condition 5-8
Table 5-5: Transportation Demand Forecast, Net Incremental Trips 5-9
Table 5-6: Intersection LOS Criteria based on HCM Methodology 5-16
Table 5-7: Sidewalk/Walkway LOS for Non-Platoon and Platoon Conditions 5-17
Table 5-8: Corner/Crosswalk LOS Pedestrian Space 5-18
Table 5-9: Significant Impact Guidance for Sidewalks Platooned flow, Non-CBD Location 5-19
Table 5-10: Significant Impact Guidance for Corners and Crosswalks, Non-CBD Location 5-20
Table 5-11: Existing Conditions - LOS Summary 5-24
Table 5-12: No-Action Condition - LOS Summary 5-28
Table 5-13: With-Action Condition - LOS Summary 5-31
Table 5-14: Existing Conditions Corner Analysis 5-35
Table 5-15: Existing Conditions Sidewalk Analysis 5-35
Table 5-16: No-Action Condition Corner Analysis 5-36
Table 5-17: No-Action Condition Sidewalk Analysis 5-37
Table 5-18: With-Action Condition Corner Analysis 5-37
Table 5-19: With-Action Condition Sidewalk Analysis 5-38
Table 5-20: Existing Conditions Off-Street Public Parking Facilities/Utilization within ¼-mile 5-39
Table 5-21: No-Action Project-Generated Hourly Parking Accumulation – Weekday 5-40
Table 5-22: No-Action Project-Generated Hourly Parking Accumulation – Saturday 5-41
Table 5-23: No-Action Condition Off-Street Public Parking Utilization within ¼-mile 5-42
Table 5-24: Proposed Actions Project-Generated Hourly Parking Accumulation – Weekday 5-43
Table 5-25: Proposed Actions Project-Generated Hourly Parking Accumulation – Saturday 5-44
Table 5-26: With-Action Condition Off-Street Public Parking Utilization within ¼-mile 5-44
Table 5-27: Crash Data Analysis Summary 5-45
Table 6-1: Building Roof and Emissions Stack Heights by Development Site 6-6
Table 6-2: Clean Air Tracking System (CATS) Search 6-11
Table 6-3: Intersection Mobile Source Emissions 6-12
Table 6-4: Mobile Source Emissions 6-13
Table 7-1: Global Warming Potential for Primary Greenhouse Gases 7-4
Table 7-2: Daily Trips (Including Off-Peak) by Mode 7-6
Table 7-3: With-Action Condition – Annual Miles Traveled (miles per year) 7-6
Table 7-4: Project-Generated Annual Operational Emissions 7-7
Table 7-5: Annual Mobile Source Emissions (CO_2e – metric tons/year) 7-8
Table 7-6: Summary of Annual GHG Emissions Resulting from Proposed Actions 7-8
Table 8-1: Seaside Park and Community Arts Center Monitoring Location 7 8-3
Table 8-2: Required Attenuation Values to Achieve Acceptable Interior Noise Levels 8-4
Table 8-3: Measured Existing Noise Levels 8-5
Table 8-4: No-Action Noise Levels 8-6
Table 8-5: With-Action Noise Levels 8-7
Table 8-6: CEQR Building Attenuation Analysis Summary 8-8

Table 11-1: Nearest Sensitive Receptors by Direction - Buildings 11-10
Table 11-2: Construction Sequencing Schedule 11-13
Table 11-3: Average Number of Daily Workers and Truck Deliveries by Quarter 11-17
Table 11-4: Hourly Vehicle Trip Projections during Peak Quarter (Q7) of Construction 11-18
Table 11-5: Existing Conditions – LOS Summary 11-20
Table 11-6: No-Action Condition – LOS Summary 11-22
Table 11-7: With-Action Condition – LOS Summary 11-24
Table 11-8: Maximum Predicted Pollutant Concentrations from Construction Site Sources—Peak Analysis Period 11-32
Table 11-9: Typical Construction Equipment Noise Emission Levels (dBA) 11-36
Table 11-10: Active Construction Equipment Per Quarter (Full Site) 11-37
Table 11-11: Noise Receptors by Location and Land Use 11-40
Table 11-12: Maximum Noise Levels (dBA) at Recievers Over Threshold by Quarter 11-43
Table 11-13: Properties that Exceed Construction Noise Impact Criteria 11-43
Table 13-1: Summary of Potentially Significant Adverse Traffic Impacts due to the Proposed Actions 13-2
Table 13-2: Summary of Potentially Significant Adverse Traffic Impacts due to Construction 13-3
Table 13-3: Summary of Recommended Traffic Mitigation Measures – Weekday AM Peak Hour 13-7
Table 13-4: Summary of Recommended Traffic Mitigation Measures – Weekday Midday Peak Hour 13-7
Table 13-5: Summary of Recommended Traffic Mitigation Measures – Weekday PM Peak Hour 13-8
Table 13-6: Summary of Recommended Traffic Mitigation Measures – Saturday Midday Peak Hour 13-8
Table 13-7: LOS Comparison Summary – Weekday AM Peak Hour 13-9
Table 13-8: LOS Comparison Summary – Weekday Midday Peak Hour 13-9
Table 13-9: LOS Comparison Summary – Weekday PM Peak Hour 13-10
Table 13-10: LOS Comparison Summary – Saturday Midday Peak Hour 13-11
Table 13-11: Mobile Source Air Quality Concentrations – St. Marks Pl and Hamilton Ave 13-11
Table 13-12: Summary of Recommended Traffic Mitigation Measures – Weekday AM Construction Peak Hour 13-14
Table 13-13: Summary of Recommended Traffic Mitigation Measures – Weekday PM Construction Peak Hour 13-14
Table 13-14: LOS Comparison Summary – Weekday AM Construction Peak Hour 13-14
Table 13-15: LOS Comparison Summary – Weekday PM Construction Peak Hour 13-15
Table 14-1: Significant Adverse Traffic Impacts 14-2
Table 14-2: Significant Adverse Construction Traffic Impacts 14-3