606 WEST 57TH STREET

Draft Environmental Impact Statement | CEQR No.13DCP080M

Lead Agency:
City Planning Commission, City of New York
Amanda M. Burden, FAICP, Chair

October 2013

606 WEST 57TH STREET
DRAFT ENVIRONMENTAL IMPACT STATEMENT (DEIS)

Project Location:	Community District 4 Borough of Manhattan
CEQR No:	13DCP080M
Type of Action:	Type I
ULURP Nos.:	130336ZMM 130339ZSM 130337ZRM N130340ZAM N130338ZRM
Lead Agency:	City Planning Commission, City of New York
Lead Agency Contact:	Robert Dobruskin, Director Department of City Planning—Environmental Assessment and Review Division
Applicant:	606 W. 57 LLC
Prepared by:	AKRF, Inc. 440 Park Avenue South, 7th Floor New York, NY 10016
Acceptance Date:	October 18, 2013

The DEIS is available for review on the website of the Department of City Planning:
http://www.nyc.gov/dcp

A public hearing on this Draft Environmental Impact Statement (DEIS) will be held at a date to be announced. Advance notice will be advertised stating the time and place of the hearing. Written comments on the DEIS are requested and will be received and considered by the Lead Agency until the 10th calendar day following the close of the public hearing.

Table of Contents

Executive Summary **S-1**

1: Project Description **1-1**
A. Project Identification 1-1
B. Project Description 1-2
Existing Conditions on the Project Block 1-2
Reasonable Worst-Case Development Scenario 1 1-2
Reasonable Worst-Case Development Scenario 2 1-3
Proposed Actions 1-4
C. Project Purpose and Need 1-6
D. Analysis Framework for Environmental Review 1-7
The Future Without the Proposed Actions 1-7
The Future With the Proposed Actions 1-7
E. Land Use and Environmental Review 1-9
Uniform Land Use Review Procedure 1-9
Environmental Review 1-9

2: Land Use, Zoning, and Public Policy **2-1**
A. Introduction 2-1
Principal Conclusions 2-1
B. Methodology 2-2
C. Study Area Development History 2-2
D. Existing Conditions 2-3
Land Use 2-3
Zoning 2-6
Public Policy 2-10
E. The Future Without the Proposed Project 2-12
Land Use 2-12
Zoning 2-14
Public Policy 2-14
F. Probable Impacts of the Proposed Actions 2-15
Land Use 2-15
Zoning 2-16
Public Policy 2-17

3: Socioeconomic Conditions **3-1**
A. Introduction 3-1
Principal Conclusions 3-1
B. Methodology 3-3
Background 3-3

Determining Whether A Socioeconomic Assessment Is Appropriate....3-4
Analysis Format....3-5
Study Area Definition....3-6
Data Sources....3-6
C. Preliminary Assessment....3-6
Direct Business Displacement....3-6
Indirect Residential Displacement....3-11
Indirect Business Displacement....3-17
Adverse Effects On Specific Industries....3-19

4: Community Facilities....4-1
A. Introduction....4-1
Principal Conclusions....4-1
B. Analysis Approach....4-2
C. Preliminary Screening....4-3
Direct Effects....4-3
Indirect Effects....4-3
D. Public Elementary and Intermediate Schools....4-5
Methodology....4-5
Existing Conditions....4-6
The Future Without the Proposed Actions....4-7
Probable Impacts of the Proposed Actions....4-8
E. Indirect Effects On Public Libraries....4-9
Methodology....4-9
Existing Conditions....4-10
The Future Without the Proposed Actions....4-11
Probable Impacts of the Proposed Actions....4-11
F. Indirect Effects On Child Care Centers....4-12
Methodology....4-12
Existing Conditions....4-13
The Future Without the Proposed Actions....4-13
Probable Impacts of the Proposed Actions....4-14

5: Open Space....5-1
A. Introduction....5-1
Principal Conclusions....5-1
B. Methodology....5-2
Study Area....5-2
Open Space User Populations....5-2
Inventory of Open Space Resources....5-3
Adequacy of Open Space Resources....5-3
C. Existing Conditions....5-4
Study Area Population....5-4
Study Area Open Space Resources....5-4
Adequacy of Open Space Resources....5-5
D. The Future Without the Proposed Actions....5-7
Study Area Population....5-7
Study Area Open Space Resources....5-8

Adequacy of Open Space Resources 5-9
E. Probable Impacts of the Proposed Actions 5-9
Study Area Population 5-9
Study Area Open Space Resources 5-10
Adequacy of Open Space Resources 5-10
F. Conclusion 5-12

6: Shadows 6-1
A. Introduction 6-1
Principal Conclusions 6-1
B. Definitions and Methodology 6-1
Definitions 6-2
Methodology 6-2
C. Preliminary Assessment 6-3
Tier 1 Screening Assessment 6-4
Tier 2 Screening Assessment 6-4
Tier 3 Screening Assessment 6-4
D. Detailed Analysis 6-5
Natural Resources of Concern 6-6
Open Space Resources of Concern 6-7
E. Conclusion 6-8

7: Historic and Cultural Resources 7-1
A. Introduction 7-1
Principal Conclusions 7-1
Methodology 7-2
B. Existing Conditions 7-3
Development Site 1 7-3
Remainder of Rezoning Area 7-3
Study Area 7-4
C. The Future Without the Proposed Actions 7-4
D. The Future With the Proposed Actions 7-5
Development Site 1 7-5
Remainder of Rezoning Area 7-5
Study Area 7-5

8: Urban Design and Visual Resources 8-1
A. Introduction 8-1
Principal Conclusions 8-1
B. Methodology 8-1
Approach 8-1
Study Area 8-3
C. Preliminary Assessment 8-3
Existing Conditions 8-3
The Future Without the Proposed Actions 8-9
Probable Impacts of the Proposed Actions 8-10

9: Hazardous Materials 9-1
A. Introduction 9-1
B. Principal Conclusions 9-1
C. Existing Conditions 9-2
Subsurface Conditions 9-2
Hazardous Materials Assessment 9-3
D. The Future Without the Proposed Project 9-4
E. The Future With the Proposed Project 9-5
Development Site 1 9-5
Development Site 2 9-6

10: Water and Sewer Infrastructure 10-1
A. Introduction 10-1
Principal Conclusions 10-1
B. Methodology 10-2
C. Existing Conditions 10-3
Sewer System 10-3
D. The Future Without the Proposed Actions 10-4
E. Probable Impacts of the Proposed Actions 10-4
Sewer System and WWTP Treatment Capacity Demand 10-4

11: Transportation 11-1
A. Introduction 11-1
Principal Conclusions 11-1
B. Preliminary Analysis Methodology 11-3
C. Level 1 Screening Assessment 11-4
Overview 11-4
Transportation Planning Assumptions 11-4
Travel Demand Projection Summary 11-7
D. Level 2 Screening Assessment 11-10
Traffic 11-10
E. Transportation Analysis Methodologies 11-16
Traffic Operations 11-16
Transit Operations 11-18
Pedestrian Operations 11-20
Vehicular and Pedestrian Safety Evaluation 11-22
Parking Conditions Assessment 11-22
F. Detailed Traffic Analysis 11-23
2013 Existing Conditions 11-23
The Future Without the Proposed Actions 11-28
Probable Impacts of the Proposed Actions 11-35
G. Transit 11-43
Transit Study Areas 11-43
Subway Station Analysis 11-44
Bus Line-Haul Analysis 11-51
H. Pedestrians 11-53
Existing Conditions 11-53
The Future Without the Proposed Actions 11-53

Probable Impacts of the Proposed Actions 11-53
I. Vehicular and Pedestrian Safety Evaluation 11-61
Tenth Avenue and West 57th Street 11-62
Ninth Avenue and West 57th Street 11-63
Eighth Avenue and West 57th Street 11-64
J. Parking 11-64
2013 Existing Conditions 11-64
The Future Without the Proposed Actions 11-66
Probable Impacts of the Proposed Actions 11-67

12: Air Quality 12-1
A. Introduction 12-1
Principal Conclusions 12-2
B. Pollutants for Analysis 12-3
Carbon Monoxide 12-4
Nitrogen Oxides, VOCs, and Ozone 12-4
Lead 12-5
Respirable Particulate Matter—PM_{10} and $PM_{2.5}$ 12-5
Sulfur Dioxide 12-5
Air Toxics 12-6
C. Air Quality Standards, Regulations and Benchmarks 12-6
National and State Air Quality Standards 12-6
NAAQS Attainment Status and State Implementation Plans 12-8
Determining the Significance of Air Quality Impacts 12-9
D. Methodology for Predicting Pollutant Concentrations 12-10
Introduction 12-10
Mobile Sources 12-11
DSNY Vehicle Analysis 12-15
Stationary Sources 12-15
E. Existing Conditions 12-27
Modeled CO Concentrations for Existing Traffic Conditions 12-28
F. The Future Without the Proposed Actions 12-28
Mobile Sources 12-28
Stationary Sources 12-29
G. Probable Impacts of the Proposed Actions 12-29
Mobile Sources 12-29
Stationary Sources 12-30

13: Greenhouse Gas Emissions 13-1
A. Introduction 13-1
Principal Conclusions 13-1
B. Pollutants of Concern 13-2
C. Policy, Regulations, Standards, and Benchmarks for Reducing GHG Emissions 13-3
D. Methodology 13-5
Building Operational Emissions 13-5
Mobile Source Emissions 13-6
Construction Emissions 13-7
Emissions from Solid Waste Management 13-7

E. Projected GHG Emissions from the Proposed Actions 13-7
Building Operational Emissions 13-7
Mobile Source Emissions 13-7
Summary 13-8
F. Elements of the Proposed Project That Would Reduce GHG Emissions 13-9
Build Efficient Buildings 13-9
Use Clean Power 13-10
Transit-Oriented Development and Sustainable Transportation 13-10
Reduce Construction Operation Emissions 13-10
Use Building Materials With Low Carbon Intensity 13-10

14: Noise 14-1
A. Introduction 14-1
Principal Conclusions 14-1
B. Acoustical Fundamentals 14-1
"A"-Weighted Sound Level (dBA) 14-2
Sound Level Descriptors 14-2
C. Noise Standards and Criteria 14-3
New York CEQR Noise Standards 14-3
Impact Definition 14-4
D. Existing Noise Levels 14-5
Equipment Used During Noise Monitoring 14-5
E. Noise Prediction Methodology 14-6
Proportional Modeling 14-7
Analysis Procedure 14-7
F. Noise Analysis Results 14-8
Mobile Noise Source Screening Analysis 14-8
Building Noise Attenuation 14-8
Building Mechanical Systems 14-10

15: Public Health 15-1

16: Neighborhood Character 16-1
A. Introduction 16-1
Principal Conclusions 16-1
B. Methodology 16-2
Study Area 16-3
C. Preliminary Assessment 16-3
Existing Conditions 16-3
The Future Without the Proposed Actions 16-5
Probable Impacts of the Proposed Actions 16-5

17: Construction 17-1
A. Introduction 17-1
Principal Conclusions 17-1
B. Governmental Coordination and Oversight 17-6
C. Construction Phasing and Schedule 17-7
D. Construction Description 17-8

General Construction Practices 17-8
Description of Construction Activities 17-9
E. Number of Construction Workers and Material Deliveries 17-12
F. The Future Without the Proposed Actions 17-13
G. Environmental Effects of Project Construction Activities 17-13
Transportation 17-13
Air Quality 17-16
Noise and Vibration 17-20
Other Technical Areas 17-27

18: Alternatives 18-1
A. Introduction 18-1
B. No-Action Alternative 18-2
Description 18-2
Land Use, Zoning, and Public Policy 18-2
Socioeconomic Conditions 18-3
Community Facilities 18-4
Open Space 18-4
Shadows 18-5
Historic and Cultural Resources 18-5
Urban Design and Visual Resources 18-5
Hazardous Materials 18-6
Water and Sewer Infrastructure 18-6
Transportation 18-6
Air Quality 18-8
Noise 18-8
Public Health 18-9
Neighborhood Character 18-9
Construction 18-9
C. C6-3X Reduced Density Alternative 18-9
D. No Unmitigated Impact Alternative 18-11

19: Mitigation 19-1
A. Introduction 19-1
Principal Conclusions 19-1
B. Community Facilities 19-2
C. Transportation 19-3
Traffic 19-3
Transit 19-15
Pedestrians 19-16
Effects of Traffic Mitigation On Pedestrian Operations 19-17

20: Unavoidable Adverse Impacts 20-1
A. Introduction 20-1
B. Community Facilities 20-1
Child Care 20-1
C. Transportation 20-2

21: Growth-Inducing Aspects of the Proposed Actions 21-1
A. Introduction 21-1

22: Irreversible and Irretrievable Commitments of Resources 22-1

Appendices

Appendix A Proposed Zoning Text Amendment
Appendix B Agency Correspondence

List of Tables

S-1 RWCDS 1 and RWCDS 2—Program Summary S-4
S-2 Summary of Existing, No Action, and With Action Assumptions for Analysis..... S-10
S-3 Summary of Significant Adverse Traffic Impacts S-18
S-4 Summary of Significant Adverse Pedestrian Impacts..... S-18
1-1 RWCDS 1 and RWCDS 2—Program Summary 1-4
1-2 Summary of Existing, No Action, and With Action Assumptions for Analysis.....1-13
2-1 Zoning Districts in the Study Area 2-7
2-2 Projects Within and Adjacent to the ¼-Mile Study Area Expected to be Complete by 2017.. 2-13
3-1 Estimated Employees in ½-Mile Study Area, Manhattan, and New York City 3-7
3-2 Directly Displaced Employment by Industry Sector 3-8
3-3 Average Household Income (1999, 2007-2011)..... 3-12
3-4 Household Income Distribution (1999, 2007-2011)..... 3-13
3-5 2000 and 2010 Population 3-15
3-6 Estimated Population in the ½-Mile Study Area: No Action and With Action Conditions . 3-15
4-1 Indirect Effects Analysis—Preliminary Screening Analysis Criteria..... 4-3
4-2 Public Schools Serving the Proposed Rezoning Area, Enrollment and Capacity Data, 2011–2012 School Year..... 4-6
4-3 Estimated Number of Students Introduced By Development in the Future Without the Proposed Actions 4-7
4-4 Future Without the Proposed Actions: Estimated Public Elementary and Intermediate School Enrollment, Capacity, and Utilization 4-8
4-5 Future With the Proposed Actions: Estimated Number of Students Introduced in the Study Area 4-8
4-6 Future With the Proposed Actions: Estimated Public Elementary and Intermediate School Enrollment, Capacity, and Utilization 4-9
4-7 Public Libraries Serving the Rezoning Area..... 4-10
4-8 Future Without the Proposed Actions: Catchment Area Population 4-11
4-9 Future With the Proposed Actions: Catchment Area Population 4-12
4-10 Publicly Funded Child Care Facilities Serving the Study Area..... 4-14

5-1 Existing Study Area Population 5-4
5-2 Existing Conditions: Open Space Resources Within the Study Area 5-6
5-3 Existing Conditions: Adequacy of Open Space Resources 5-7
5-4 Future Without the Proposed Actions: 2017 Residential Projects in the Study Area 5-7
5-5 Future Without the Proposed Actions: 2017 Additional Open Space Resources 5-9
5-6 Future Without the Proposed Actions: Adequacy of Open Space Resources 5-9
5-7 Probable Impacts of the Proposed Actions: Adequacy of Open Space Resources 5-10
5-8 Probable Impacts of the Proposed Actions: Open Space Ratios Summary 5-10
6-1 Incremental Shadow Durations 6-6
10-1 Existing Water Consumption and Sewage Generation 10-4
10-2 Existing Surface Coverage 10-4
10-3 Water Consumption and Sewage Generation Under RWCDS 2 10-5
10-4 Existing Surface Coverage 10-5
10-5 DEP Flow Volume Matrix: Existing and Build Volume Comparison 10-6
11-1 Summary of Significant Adverse Traffic Impacts 11-2
11-2 Summary of Significant Adverse Pedestrian Impacts 11-3
11-3 RWCDS 2 11-4
11-4 Transportation Planning Assumptions 11-6
11-5 Trip Generation Summary: RWCDS 2 11-8
11-6 Trip Generation Summary: Proposed Project (RWCDS 1) 11-9
11-7 Pedestrian Analysis Locations 11-15
11-8 LOS Criteria for Signalized Intersections 11-16
11-9 LOS Criteria for Unsignalized Intersections 11-17
11-10 LOS Criteria for Subway Station Elements 11-18
11-11 Significant Impact Guidance for Stairs and Passageways 11-19
11-12 Level of Service Criteria for Pedestrian Elements 11-20
11-13 Significant Impact Guidance for Sidewalks 11-21
11-14 Significant Impact Guidance for Corners and Crosswalks 11-22
11-15 2013 Existing Conditions Level of Service Analysis Signalized Intersections 11-25
11-16 2013 Existing Conditions Level of Service Analysis Unsignalized Intersections 11-26
11-17 Planned Projects Within or Near the Study Area by 2017 11-29
11-18 2013 Existing and 2017 No Action Conditions Level of Service Analysis Signalized Intersections 11-31

11-19 2013 Existing and 2017 No Action Conditions Level of Service Analysis Unsignalized Intersections 11-37
11-20 2017 No Action and With Action Conditions Level of Service Analysis Signalized Intersections 11-39
11-21 2017 No Action and With Action Conditions Level of Service Analysis Unsignalized Intersections 11-40
11-22 NYCT Local Bus Routes Serving the Study Area 11-43
11-23 2013 Existing Conditions Subway Stairway Analysis 11-44
11-24 2013 Existing Conditions Subway Fare Array Control Area Analysis 11-46
11-25 2017 No Action Conditions Subway Stairway Analysis 11-47
11-26 2017 No Action Conditions Subway Fare Array Control Area Analysis 11-49
11-27 2017 With Action Conditions Subway Stairway Analysis 11-50
11-28 2017 With Action Conditions Subway Fare Array Control Area Analysis 11-52
11-29 2013 Existing Conditions: Bus Line-Haul Analysis 11-53
11-30 2017 No Action Conditions: Bus Line-Haul Analysis 11-53
11-31 2017 With Action Conditions: Bus Line-Haul Analysis 11-54
11-32 2013 Existing Conditions: Sidewalk Analysis 11-56
11-33 2013 Existing Conditions: Corner Analysis 11-57
11-34 2013 Existing Conditions: Crosswalk Analysis 11-57
11-35 2017 No Action Conditions: Sidewalk Analysis 11-58
11-36 2017 No Action Conditions: Corner Analysis 11-59
11-37 2017 No Action Conditions: Crosswalk Analysis 11-60
11-38 2017 With Action Conditions: Sidewalk Analysis 11-61
11-39 2017 With Action Conditions: Corner Analysis 11-62
11-40 2017 With Action Conditions: Crosswalk Analysis 11-63
11-41 Accident Summary 11-64
11-42 Vehicle and Pedestrian Accident Details 11-65
11-43 On-Street Parking Regulations 11-67
11-44 2013 Existing Off-Street Parking—¼ Mile 11-68
11-45 2013 Existing and 2017 No Action Parking Supply and Utilization 11-69
11-46 Proposed Actions—Weekday Parking Demand 11-70
11-47 Proposed Actions—Saturday Parking Demand 11-70
11-48 2017 No Action and With Action Parking Supply and Utilization 11-71
12-1 National Ambient Air Quality Standards (NAAQS) 12-7

12-2 Maximum Background Pollutant Concentrations for Mobile Source Sites ($\mu g/m^3$)..12-13
12-3 Estimated HVAC Emissions from the Proposed Actions 12-16
12-4 Maximum Background Pollutant Concentrations for Stationary Source Analysis 12-19
12-5 Con Edison Power House Stack Parameters and Emission Rates (g/sec).....12-25
12-6 Stack Parameters and Emissions from the Durst West 57th St Development.....12-26
12-7 Representative Monitored Ambient Air Quality Data 12-28
12-8 Modeled Existing 8-Hour Average CO Concentration (2013).....12-28
12-9 Maximum Predicted Future (2017) 8-Hour Average Carbon Monoxide No Build Concentration 12-29
12-10 Maximum Predicted Future (2017) Carbon Monoxide Build Concentration.....12-30
12-11 Future Maximum NO_2 and PM_{10} Concentrations from Development Site 2 on Development Site 1 (Project on Project) (in $\mu g/m^3$) 12-31
12-12 Future Maximum NO_2 and PM_{10} Concentrations Development Site 1 on Existing Receptors (Project on Existing) (in $\mu g/m^3$) 12-31
12-13 Future Maximum Predicted $PM_{2.5}$ Concentrations Development Site 2 on Development Site 1 (Project on Project) (in $\mu g/m^3$) 12-32
12-14 Future Maximum Predicted $PM_{2.5}$ Concentrations Development Site 1 on Existing Receptors (Project on Existing) (in $\mu g/m^3$) 12-32
12-15 Maximum Predicted Impacts from Potential Automotive Showroom Service Area .12-33
12-16 Maximum Predicted Impacts from Industrial Sources.....12-34
12-17 Future Maximum Predicted Concentrations on the Proposed Project Site from the Consolidated Edison Power House (in $\mu g/m^3$) 12-34
12-18 Future Maximum Predicted $PM_{2.5}$ Increments on the Proposed Project Site from the Consolidated Edison Power House (in $\mu g/m^3$) 12-35
12-19 Future Maximum Predicted Concentrations on the Proposed Project Site from Other Sources (Durst West 57th Street) (in $\mu g/m^3$).....12-35
12-20 Future Maximum Predicted $PM_{2.5}$ Increments on the Proposed Project Site from Other Sources (Durst West 57th Street) (in $\mu g/m^3$).....12-36
12-21 Future Maximum Predicted Cumulative Concentrations on the Proposed Project Site (in $\mu g/m^3$) 12-36
12-22 Future Maximum Predicted Cumulative $PM_{2.5}$ Increments on the Proposed Project Site (in $\mu g/m^3$).....12-37
12-23 Future Maximum Predicted Concentrations from the Consolidated Edison Power House on Developments Within 400 Feet of the Proposed Project Site (in $\mu g/m^3$)...12-38
12-24 Future Maximum Predicted $PM_{2.5}$ Increments from the Consolidated Edison Power House on Developments Within 400 Feet of the Proposed Project Site (in $\mu g/m^3$)...12-38

13-1 Global Warming Potential (GWP) for Major GHGs 13-3

13-2 Annual Vehicle Miles Traveled Per Year 13-7

13-3 Annual Building Operational Emissions (RWCDS 2) 13-8

13-4 Mobile Source Emissions (Metric Tons CO_2e) 13-8

13-5 Summary of Annual GHG Emissions 2015 RWCDS (Metric Tons CO_2e) 13-8

14-1 Common Noise Levels 14-2

14-2 Noise Exposure Guidelines for Use in City Environmental Impact Review 14-4

14-3 Required Attenuation Values to Achieve Acceptable Interior Noise Levels 14-4

14-4 Existing Noise Levels (in dBA) 14-6

14-5 Noise Screening Analysis Results 14-8

14-6 CEQR Building Attenuation Requirements 14-9

17-1 Construction Oversight in New York City 17-7

17-2 Anticipated Construction Schedule 17-8

17-3 Average Number of Daily Construction Workers and Trucks By Quarter 17-13

17-4 Peak Construction Vehicle Trip Projections 17-15

17-5 Comparison of Construction and Operational Peak Vehicle Trip Generation 17-15

17-6 Typical Construction Equipment Noise Emission Levels (dBA) 17-23

17-7 Vibration Source Levels for Construction Equipment 17-26

19-1 Summary of Significant Adverse Traffic Impacts 19-4

19-2a Recommended Mitigation Measures - Weekday AM Peak Hour 19-5

19-2b Recommended Mitigation Measures - Weekday Midday Peak Hour 19-6

19-2c Recommended Mitigation Measures - Weekday PM Peak Hour 19-7

19-2d Recommended Mitigation Measures - Saturday Peak Hour 19-8

19-3 2017 No Action, With Action, and Mitigation Conditions Level of Service Analysis Weekday Am Peak Hour 19-9

19-4 2017 No Action, With Action, and Mitigation Conditions Level of Service Analysis Weekday Midday Peak Hour 19-10

19-5 2017 No Action, With Action, and Mitigation Conditions Level of Service Analysis Weekday Pm Peak Hour 19-11

19-6 2017 No Action, With Action, and Mitigation Conditions Level of Service Analysis Saturday Peak Hour 19-13

19-7 2017 Mitigated Build Condition (Capacity Improvement) Bus Line Haul Levels 19-17

19-8 2017 No Build, Build, and Mitigated Conditions Pedestrian Level of Service Crosswalk Analysis 19-18

List of Figures

Following page:

S-1 Proposed Rezoning Area Location S-1
S-2 Lots Within the Proposed Rezoning Area S-1
S-3 Illustrative Rendering North Elevation S-3
S-4 Illustrative Rendering South Elevation S-3
S-5 Illustrative Renderings East/West Elevation S-3
S-6 Illustrative Site Plan S-3
S-7 Illustrative Rendering–Looking East Along West 57th Street S-3
S-8 Illustrative Rendering–Looking Northwest From Eleventh Avenue S-3
S-9 Existing and Proposed Zoning S-4
1-1 Proposed Rezoning Area Location 1-1
1-2 Lots Within the Proposed Rezoning Area 1-1
1-3 Illustrative Rendering North Elevation 1-3
1-4 Illustrative Rendering South Elevation 1-3
1-5 Illustrative Renderings East/West Elevation 1-3
1-6 Illustrative Site Plan 1-3
1-7 Illustrative Rendering–Looking East Along West 57th Street 1-3
1-8 Illustrative Rendering–Looking Northeast From Eleventh Avenue 1-3
1-9 Existing and Proposed Zoning 1-4
2-1 Land Use Study Area 2-2
2-2 Existing Land Use 2-4
2-3 Existing Zoning 2-6
2-4 2017 No Build Projects 2-12
3-1 Socioeconomic Study Area 3-6
4-1 Elementary and Intermediate Public Schools 4-5
4-2 Public Libraries 4-10
4-3 Publicly Funded Child Care Centers 4-13
5-1 Open Space Study Area 5-2

12-2 Maximum Background Pollutant Concentrations for Mobile Source Sites ($\mu g/m^3$)..12-13
12-3 Estimated HVAC Emissions from the Proposed Actions 12-16
12-4 Maximum Background Pollutant Concentrations for Stationary Source Analysis 12-19
12-5 Con Edison Power House Stack Parameters and Emission Rates (g/sec).....12-25
12-6 Stack Parameters and Emissions from the Durst West 57th St Development.....12-26
12-7 Representative Monitored Ambient Air Quality Data 12-28
12-8 Modeled Existing 8-Hour Average CO Concentration (2013).....12-28
12-9 Maximum Predicted Future (2017) 8-Hour Average Carbon Monoxide No Build Concentration 12-29
12-10 Maximum Predicted Future (2017) Carbon Monoxide Build Concentration.....12-30
12-11 Future Maximum NO_2 and PM_{10} Concentrations from Development Site 2 on Development Site 1 (Project on Project) (in $\mu g/m^3$) 12-31
12-12 Future Maximum NO_2 and PM_{10} Concentrations Development Site 1 on Existing Receptors (Project on Existing) (in $\mu g/m^3$) 12-31
12-13 Future Maximum Predicted $PM_{2.5}$ Concentrations Development Site 2 on Development Site 1 (Project on Project) (in $\mu g/m^3$) 12-32
12-14 Future Maximum Predicted $PM_{2.5}$ Concentrations Development Site 1 on Existing Receptors (Project on Existing) (in $\mu g/m^3$) 12-32
12-15 Maximum Predicted Impacts from Potential Automotive Showroom Service Area .12-33
12-16 Maximum Predicted Impacts from Industrial Sources.....12-34
12-17 Future Maximum Predicted Concentrations on the Proposed Project Site from the Consolidated Edison Power House (in $\mu g/m^3$) 12-34
12-18 Future Maximum Predicted $PM_{2.5}$ Increments on the Proposed Project Site from the Consolidated Edison Power House (in $\mu g/m^3$) 12-35
12-19 Future Maximum Predicted Concentrations on the Proposed Project Site from Other Sources (Durst West 57th Street) (in $\mu g/m^3$).....12-35
12-20 Future Maximum Predicted $PM_{2.5}$ Increments on the Proposed Project Site from Other Sources (Durst West 57th Street) (in $\mu g/m^3$).....12-36
12-21 Future Maximum Predicted Cumulative Concentrations on the Proposed Project Site (in $\mu g/m^3$) 12-36
12-22 Future Maximum Predicted Cumulative $PM_{2.5}$ Increments on the Proposed Project Site (in $\mu g/m^3$).....12-37
12-23 Future Maximum Predicted Concentrations from the Consolidated Edison Power House on Developments Within 400 Feet of the Proposed Project Site (in $\mu g/m^3$)...12-38
12-24 Future Maximum Predicted $PM_{2.5}$ Increments from the Consolidated Edison Power House on Developments Within 400 Feet of the Proposed Project Site (in $\mu g/m^3$)...12-38

5-2 Study Area Open Space Resources....5-5
5-3 2017 Residential Projects in the Study Area....5-7
5-4 2017 Additional Open Space Resources....5-8
6-1 Tier 1 & Tier 2 Screening Assessment....6-3
6-2 Tier 3 Screening Assessment....6-5
6-3 Three-Dimensional Computer Model....6-6
6-4 Detailed Analysis March 21/September 21....6-6
6-5 Detailed Analysis May 6/August 6....6-7
6-6 Detailed Analysis June 21....6-7
6-7 Detailed Analysis December 21....6-7
6-8 Detailed Analysis March 21/September 21....6-7
6-9 Detailed Analysis May 6 / August 6....6-7
6-10 Detailed Analysis June 21....6-7
6-11 Detailed Analysis December 21....6-7
7-1 Architectural Resources....7-2
7-2 Consolidated Edison Power House –Known Architectural Resource in Study Area....7-4
8-1 Urban Design and Visual Resources Study Area....8-3
8-2 Project Block Aerial Photograph....8-3
8-3 Views of the Project Site and the Rezoning Area....8-3
8-4 Views of the Project Site and Study Area....8-3
8-5 Views of the Project Block....8-4
8-6 Views of the Study Area....8-4
8-7 Views of the Study Area....8-4
8-8 Views of the Study Area....8-4
8-9 Views of the Study Area....8-4
8-10 Views of the Study Area....8-4
8-11 Illustrative Site Plan....8-6
8-12 Illustrative Rendering North Elevation....8-10
8-13 Illustrative Rendering South Elevation....8-10
8-14 Illustrative Renderings East/West Elevation....8-10
8-15 Illustrative Rendering–Looking East Along West 57th Street....8-10
8-16 Illustrative Rendering–Looking Northwest From Eleventh Avenue....8-10

8-17 Comparative Views: Existing, No Build, and Build Conditions View Southwest from West 57th Street 8-11

8-18 Comparative Views: Existing, No Build, and Build Conditions View Southeast from West 57th Street 8-12

8-19 Comparative Views: Existing, No Build, and Build Conditions View West from West 57th Street 8-13

8-20 Project Context—Architectural Model 8-13

10-1 Stormwater Best Management Practices Concept Plan..... 10-6

11-1 Incremental Vehicle Trips Weekday AM Peak Hour..... 11-13

11-2 Incremental Vehicle Trips Weekday Midday Peak Hour..... 11-13

11-3 Incremental Vehicle Trips Weekday PM Peak Hour 11-13

11-4 Incremental Vehicle Trips Weekday Saturday Peak Hour..... 11-13

11-5 Traffic Analysis Locations..... 11-13

11-6 Project Generated Pedestrian Volumes AM Peak Hour..... 11-14

11-7 Project Generated Pedestrian Volumes Weekday MD Peak Hour..... 11-14

11-8 Project Generated Pedestrian Volumes Weekday PM Peak Hour 11-14

11-9 Project Generated Pedestrian Volumes Weekday Saturday Peak Hour..... 11-14

11-10 Pedestrian Analysis Locations 11-14

11-11 2013 Existing Traffic Volumes Weekday AM Peak Hour..... 11-24

11-12 2013 Existing Traffic Volumes Weekday Midday Peak Hour..... 11-24

11-13 2013 Existing Traffic Volumes Weekday PM Peak Hour 11-24

11-14 2013 Existing Traffic Volumes Weekday Saturday Peak Hour..... 11-24

11-15 2017 No Build Projects 11-29

11-16 2017 No Action Traffic Volumes Weekday AM Peak Hour 11-29

11-17 2017 No Action Traffic Volumes Weekday Midday Peak Hour 11-29

11-18 2017 No Action Traffic Volumes Weekday PM Peak Hour..... 11-29

11-19 2017 No Action Traffic Volumes Weekday Saturday Peak Hour 11-29

11-20 2017 With Action Traffic Volumes Weekday AM Peak Hour 11-35

11-21 2017 No Action Traffic Volumes Weekday Midday Peak Hour 11-35

11-22 2017 No Action Traffic Volumes Weekday PM Peak Hour..... 11-35

11-23 2017 No Action Traffic Volumes Weekday Saturday Peak Hour 11-35

11-24 Study Area Transit Map..... 11-43

11-25 Existing Pedestrian Volumes Weekday AM Peak Hour..... 11-53

11-26 Existing Pedestrian Volumes Weekday MD Peak Hour..... 11-53

11-27 Existing Pedestrian Volumes Weekday PM Peak Hour 11-53
11-28 Existing Pedestrian Volumes Weekday Saturday Peak Hour 11-53
11-29 No Action Pedestrian Volumes Weekday AM Peak Hour 11-53
11-30 No Action Pedestrian Volumes Weekday MD Peak Hour 11-53
11-31 No Action Pedestrian Volumes Weekday PM Peak Hour 11-53
11-32 No Action Pedestrian Volumes Weekday Saturday Peak Hour 11-53
11-33 With Action Pedestrian Volumes Weekday AM Peak Hour 11-53
11-34 With Action Pedestrian Volumes Weekday MD Peak Hour 11-53
11-35 With Action Pedestrian Volumes Weekday PM Peak Hour 11-53
11-36 With Action Pedestrian Volumes Weekday Saturday Peak Hour 11-53
11-37 On-Street Parking Regulations 11-65
11-38 Off-Street Parking Facilities 11-65
14-1 Noise Receptor Locations 14-5
17-1 Sensitive Receptor Locations 17-18

✷