307 Kent Avenue

Draft Environmental Impact Statement (DEIS)

CEQR No.: 20DCP100K

ULURP Nos.: 200306ZMK
N200307ZRK

Lead Agency:
City Planning Commission, City of New York
Marisa Lago, Chair

Lead Agency Contact:
Olga Abinader
Director, Environmental Assessment and Review Division
New York City Department of City Planning
120 Broadway, 31st Floor
New York, NY 10007

Prepared by:
AKRF, Inc.

April 2021

307 Kent Avenue
DRAFT ENVIRONMENTAL IMPACT STATEMENT (DEIS)

Project Location:	Community District 1, Borough of Brooklyn
CEQR No.	20DCP100K
Type of Action:	Unlisted
ULURP Nos.	200306ZMK N200307ZRK
Lead Agency:	City Planning Commission, City of New York Marisa Lago, Chair
Lead Agency Contact:	Olga Abinader Director, Environmental Assessment and Review Division New York City Department of City Planning 120 Broadway, 31st Floor New York, NY 10007
Project Applicants:	307 Kent Associates
Prepared by:	AKRF, Inc.
Acceptance Date:	April 2021

Table of Contents

Executive Summary **S-1**

Chapter 1: Project Description **1-1**
A. Introduction 1-1
B. Area Affected by the Proposed Actions 1-2
C. Proposed Actions 1-2
D. Purpose and Need for the Proposed Actions 1-3
E. Description of the Proposed Project 1-4
F. Analysis Framework 1-4
Reasonable Worst Case Development Scenario 1-5
G. Environmental Review Process 1-8
Uniform Land Use Review Procedure (ULURP) 1-9
New York City Environmental Quality Review 1-9

Chapter 2: Land Use, Zoning, and Public Policy **2-1**
A. Introduction 2-1
Principal Conclusions 2-1
B. Methodology 2-1
C. Existing Conditions 2-2
Land Use 2-2
Zoning 2-4
Public Policy 2-8
D. The Future without the Proposed Actions 2-9
Land Use 2-9
Zoning and Public Policy 2-10
E. The Future with the Proposed Actions 2-11
Land Use 2-11
Zoning 2-12
Public Policy 2-13

Chapter 3: Open Space **3-1**
A. Introduction 3-1
B. Principal Conclusions 3-1
C. Methodology 3-2
Direct Effects 3-2
Indirect Effects 3-2
Study Area 3-2
Study Area Population 3-3
Inventory of Open Space Resources 3-3
Adequacy of Open Space Resources 3-4

D. Existing Conditions 3-4
Study Area Non-Residential Population 3-4
Study Area Open Space Resources 3-5
Adequacy of Open Space Resources 3-6
E. The Future without the Proposed Actions 3-7
Study Area Non-Residential Population 3-7
Study Area Open Space Resources 3-9
Adequacy of Open Space Resources 3-9
F. The Future with the Proposed Actions 3-9
Direct Effects 3-9
Study Area Non-Residential Population 3-10
Study Area Open Space Resources 3-10
Adequacy of Open Space Resources 3-10

Chapter 4: Hazardous Materials 4-1
A. Introduction 4-1
B. Existing Conditions 4-1
Subsurface Conditions 4-1
Phase I ESA, April 2019 4-2
Subsurface (Phase II) Investigation, February 2021 4-2
C. Future without the Proposed Actions 4-3
D. Future with the Proposed Actions 4-4
E. Conclusion 4-6

Chapter 5: Transportation 5-1
A. Introduction 5-1
Project Description 5-1
Principal Conclusions 5-2
B. Preliminary Analysis Methodology and Screening Assessment 5-4
Level 1 Screening Assessment 5-4
Level 2 Screening Assessment 5-8
C. Transportation Analysis Methodologies 5-15
Traffic Operations 5-15
Transit Operations 5-17
Pedestrian Operations 5-18
Vehicular and Pedestrian Safety Evaluation 5-21
Parking Conditions Assessment 5-21
D. Detailed Traffic Analysis 5-22
Existing Conditions 5-22
Future without the Proposed Actions 5-25
Future with the Proposed Actions 5-31
E. Detailed Transit Analysis 5-35
Existing Conditions 5-35
Future without the Proposed Actions 5-36
Future with the Proposed Actions 5-37
F. Detailed Pedestrian Analysis 5-38
Existing Conditions 5-38
Future without the Proposed Actions 5-40

Future with the Proposed Actions 5-43
G. Vehicular and Pedestrian Safety Evaluation 5-45
Bedford Avenue and Metropolitan Avenue 5-46
H. Parking Assessment 5-47
Existing Conditions 5-47
Future without the Proposed Actions 5-48
Future with the Proposed Actions 5-48

Chapter 6: Air Quality 6-1
A. Introduction 6-1
Principal Conclusions 6-2
B. Pollutants for Analysis 6-2
Carbon Monoxide 6-2
Nitrogen Oxides, VOCs, and Ozone 6-3
Lead 6-3
Respirable Particulate Matter—PM_{10} and $PM_{2.5}$ 6-3
Sulfur Dioxide 6-4
Air Toxics 6-4
C. Air Quality Regulations, Standards, and Benchmarks 6-5
National and State Air Quality Standards 6-5
NAAQS Attainment Status and State Implementation Plans 6-5
Determining the Significance of Air Quality Impacts 6-7
D. Methodology for Predicting Pollutant Concentrations 6-9
Mobile Sources 6-9
Stationary Sources 6-13
E. Existing Conditions 6-23
F. The Future without the Proposed Project 6-23
Mobile Sources 6-23
Stationary Sources 6-24
G. The Future with the Proposed Project 6-24
Mobile Sources 6-24
Stationary Sources 6-25

Chapter 7: Noise 7-1
A. Introduction 7-1
Principal Conclusions 7-1
B. Acoustical Fundamentals 7-2
A-Weighted Sound Level (dBA) 7-2
Noise Descriptors Used in Impact Assessment 7-3
C. Noise Standards and Criteria 7-4
New York CEQR Technical Manual Noise Standards 7-4
D. Existing Noise Levels 7-5
Selection of Noise Receptor Locations 7-5
Noise Monitoring 7-5
Existing Noise Levels at Noise Receptor Locations 7-6
E. Noise Prediction Methodology 7-6
General Methodology 7-6
F. The Future without the Proposed Actions 7-7

G. The Future with the Proposed Actions 7-8
H. Noise Attenuation Measures 7-8
I. Mechanical Equipment 7-10

Chapter 8: Public Health 8-1

Chapter 9: Neighborhood Character 9-1
Principal Conclusions 9-2
A. Methodology 9-2
B. Preliminary Assessment 9-3
Defining Features 9-3
Assessment of the Potential to Affect the Defining Features of the Neighborhood 9-4

Chapter 10: Alternatives 10-1
A. Introduction 10-1
Principal Conclusions 10-2
B. No Action Alternative 10-2
Alternative Identification 10-2
Land Use, Zoning, and Public Policy 10-2
Socioeconomic Conditions 10-3
Community Facilities and Services 10-4
Open Space 10-4
Shadows 10-4
Historic and Cultural Resources 10-4
Urban Design and Visual Resources 10-5
Natural Resources 10-5
Hazardous Materials 10-5
Water and Sewer Infrastructure 10-5
Solid Waste and Sanitation Services 10-5
Energy 10-6
Transportation 10-6
Air Quality 10-6
Greenhouse Gases and Climate Change 10-7
Noise 10-7
Neighborhood Character 10-8
Construction 10-8
Public Health 10-8
C. No Unmitigated Significant Adverse Impact Alternative 10-8
Alternative Identification 10-8
Transportation 10-9

Chapter 11: Mitigation 11-1
A. Introduction 11-1
Principal Conclusions 11-1
B. Transportation 11-3
Traffic 11-3
Transit 11-11
Pedestrians 11-11

Chapter 12: Growth-Inducing Aspects of the Proposed Actions..... 12-1
A. Introduction..... 12-1
B. Assessment..... 12-1

Chapter 13: Irreversible and Irretrievable Commitment of Resources 13-1
A. Introduction..... 13-1
B. Assessment..... 13-1

Chapter 14: Unavoidable Adverse Impacts..... 14-1
A. Introduction..... 14-1
B. Transportation..... 14-1

APPENDICES

Appendix A Waterfront Revitalization Program

Appendix B Phase I ESA

Appendix C TDF Memo

FINAL SCOPE OF WORK AND RESPONSE TO COMMENTS

List of Tables

1-1 Reasonable Worst Case Development Scenario 1-6
2-1 Existing Land Uses within the Study Area 2-4
2-2 Zoning Districts Located in the Study Area 2-5
2-3 No Build Projects 2-10
3-1 Existing Non-Residential Population within the Study Area 3-4
3-2 Inventory of Publicly Accessible Open Space in the Non-Residential Study Area 3-5
3-3 Existing Conditions: Adequacy of Open Space Resources 3-7
3-4 No Build Projects in the Open Space Study Area 3-8
3-5 No Action Condition: Adequacy of Open Space Resources 3-9
3-6 With Action Condition: Adequacy of Open Space Resources 3-10
3-7 Passive Open Space Ratios Summary 3-10
5-1 Comparison of Projected Development Sites No Action and With Action Conditions 5-2
5-2 Summary of Significant Adverse Traffic Impacts 2023 With Action Condition 5-2
5-3 Summary of Significant Adverse Pedestrian Impacts 2023 With Action Condition 5-3
5-4 Summary of High Crash Locations 5-4
5-5 Travel Demand Assumptions 5-5
5-6 Trip Generation: No Action Condition 5-6
5-7 Trip Generation: With Action Condition 5-7
5-8 Trip Generation Summary: Net Incremental Trips 5-7
5-9 Existing Off-Street Parking—Approximately ¼-Mile Weekday Utilization 5-9
5-10 Traffic Level 2 Screening Analysis Results 5-11
5-11 Pedestrian Level 2 Screening Analysis Results 5-13
5-12 Level of Service Criteria for Signalized Intersections 5-16
5-13 Level of Service Criteria for Unsignalized Intersections 5-17
5-14 Level of Service Criteria for Pedestrian Elements 5-19
5-15 Significant Impact Guidance for Sidewalks 5-20
5-16 Significant Impact Guidance for Corners and Crosswalks 5-21
5-17 Summary of 2019 Existing Traffic Analysis Results 5-23

5-18 2019 Existing Conditions Level of Service Analysis Signalized Intersections 5-24
5-19 2019 Existing Conditions Level of Service Analysis Unsignalized Intersections 5-25
5-20 No Build Projects Expected to Be Complete By 2023 5-26
5-21 Summary of 2023 No Action Traffic Analysis Results 5-29
5-22 2019 Existing and 2023 No Action Conditions Level of Service Analysis Signalized Intersections 5-30
5-23 2019 Existing and 2023 No Action Conditions Level of Service Analysis Unsignalized Intersections 5-30
5-24 Summary of 2023 With Action Traffic Analysis Results 5-32
5-25 2023 No Action and With Action Conditions Level of Service Analysis Signalized Intersections 5-33
5-26 2023 No Action and With Action Conditions Level of Service Analysis Unsignalized Intersections 5-33
5-27 2018 Existing Conditions Bus Line-Haul Analysis B32, B62 5-36
5-28 2023 No Action Condition Bus Line-Haul Analysis B32, B62 5-37
5-29 2023 With Action Condition Bus Line-Haul Analysis B32, B62 5-38
5-30 Summary of 2019 Existing Pedestrian Analysis Results 5-39
5-31 2019 Existing Conditions: Sidewalk Analysis 5-39
5-32 2019 Existing Conditions: Corner Analysis 5-40
5-33 2019 Existing Conditions: Crosswalk Analysis 5-40
5-34 Summary of 2023 No Action Pedestrian Analysis Results 5-41
5-35 2023 No Action Condition: Sidewalk Analysis 5-42
5-36 2023 No Action Condition: Corner Analysis 5-42
5-37 2023 No Action Condition: Crosswalk Analysis 5-43
5-38 Summary of 2023 With Action Pedestrian Analysis Results 5-44
5-39 2023 With Action Condition: Sidewalk Analysis 5-44
5-40 2023 With Action Condition: Corner Analysis 5-45
5-41 2023 With Action Condition: Crosswalk Analysis 5-45
5-43 Vehicle and Pedestrian Crash Details 5-46
5-44 On-Street Parking Regulations 5-47
5-45 2017 Existing and 2023 No Action Parking Supply and Utilization 5-48
5-46 Projected Development Sites—Weekday Parking Demand 5-49
5-47 2023 No Action and With Action Parking Supply and Utilization 5-49
6-1 National Ambient Air Quality Standards (NAAQS) 6-6

6-2 Industrial Source Analysis: Relevant NYSDEC Air Guideline Concentrations 6-9
6-3 Maximum Background Pollutant Concentration for Mobile Source Analysis..... 6-12
6-4 Exhaust Stack Parameters and Emission Rates 6-15
6-5 Maximum Background Pollutant Concentrations 6-16
6-6 Modeled Emission Rates of Existing Industrial Sources..... 6-17
6-7 Representative Industrial Source Permits Modeled for Proposed On-Site Industrial Uses 6-19
6-8 Stack Parameters and Emission Rates from NYPA North 1st Street Facility 6-22
6-9 Representative Monitored Ambient Air Quality Data..... 6-23
6-10 Maximum Predicted 24-Hour Average PM_{10} No Action Concentrations ($\mu g/m^3$)..... 6-24
6-11 Maximum Predicted 24-Hour Average PM_{10} With Action Concentration ($\mu g/m^3$) 6-24
6-12 Maximum Predicted 24-Hour Average $PM_{2.5}$ With Action and Incremental Concentration ($\mu g/m^3$)..... 6-25
6-13 Maximum Predicted Annual Average $PM_{2.5}$ With Action Incremental Concentration ($\mu g/m^3$)..... 6-25
6-14 Maximum Modeled Pollutant Concentrations on Projected Development Sites ($\mu g/m^3$) 6-26
6-15 Maximum Modeled Pollutant Concentrations on Existing Buildings ($\mu g/m^3$)..... 6-26
6-16 Maximum Predicted 24-Hour Average Pollutant Concentrations from Industrial Sources on the Proposed Project ($\mu g/m^3$)..... 6-27
6-17 Maximum Predicted Annual Average Pollutant Concentrations from Industrial Sources on the Proposed Project ($\mu g/m^3$)..... 6-27
6-18 Maximum Predicted Pollutant Concentrations from Processes at Projected Development Site 1 ($\mu g/m^3$)..... 6-28
6-19 Maximum Modeled Pollutant Concentrations on the Proposed Project ($\mu g/m^3$)—N 1st Street Plant 6-29
7-1 Common Noise Levels 7-3
7-2 Noise Exposure Guidelines for Use in City Environmental Impact Review..... 7-4
7-3 Required Attenuation Values to Achieve Acceptable Interior Noise Levels 7-5
7-4 Noise Receptor Locations..... 7-5
7-5 Existing Noise Levels in dBA 7-6
7-6 2023 No Action Condition Noise Levels in dBA..... 7-8
7-7 2023 With Action Condition Noise Levels in dBA..... 7-8
7-8 CEQR Building Attenuation Requirements..... 7-9
11-1 Summary of Significant Adverse Traffic Impacts..... 11-2
11-2 Recommended Mitigation Measures Weekday AM Peak Hour..... 11-4
11-3 Recommended Mitigation Measures Weekday Midday Peak Hour..... 11-4

11-4 Recommended Mitigation Measures Weekday PM Peak Hour 11-5

11-5 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis Weekday AM Peak Hour—Signalized Intersections 11-6

11-6 2023 No Action, With Action and Mitigation Conditions Level of Service Analysis Weekday AM Peak Hour—Unsignalized Intersections 11-6

11-7 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis Weekday Midday Peak Hour—Signalized Intersections 11-7

11-8 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis Weekday Midday Peak Hour—Unsignalized Intersections 11-7

11-9 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis Weekday PM Peak Hour—Signalized Intersections 11-8

11-10 2023 No Action, With Action, and Mitigation Conditions Level of Service Analysis Weekday PM Peak Hour—Unsignalized Intersections 11-8

11-11 2023 Mitigated With Action Condition Bus Line-Haul Analysis 11-11

11-12 2023 No Action, With Action, and Mitigation Conditions Pedestrian Level of Service Analysis 11-12

List of Figures

Following page:

S-1 Project Location S-1
S-2 Proposed Zoning S-1
S-3 Tax Map S-2
S-4 Proposed Project Ground Floor Plan S-4
S-5 Proposed Project Section S-4
S-6 Illustrative Rendering of With Action Condition Kent Avenue S-4
S-7 Illustrative Rendering of the With Action Condition: Kent Avenue & South 3rd Street S-4
1-1 Project Location 1-1
1-2 Proposed Zoning 1-1
1-3 Tax Map 1-2
1-4 Proposed Project Ground Floor Plan 1-4
1-5 Proposed Project Section 1-4
1-6 Illustrative Rendering of With Action Condition Kent Avenue 1-4
1-7 Illustrative Rendering of the With Action Condition: Kent Avenue & South 3rd Street 1-4
2-1 Existing Land Use 2-2
2-2 Existing Zoning 2-4
2-3 NYC Coastal Zone Boundary 2-8
2-4 No Build Projects 2-10
2-5 Proposed Zoning 2-12
3-1 Open Space Study Area and Resources 3-3
3-2 No Build Projects in the Open Space Study Area 3-8
5-1 Project Location 5-1
5-2 Transit Study Area 5-8
5-3 Off-Street Parking Facilities 5-9
5-4 No Action Project Generated Vehicle Trips: Weekday AM Peak Hour 5-10
5-5 No Action Project Generated Vehicle Trips: Weekday Midday Peak Hour 5-10
5-6 No Action Project Generated Vehicle Trips: Weekday PM Peak Hour 5-10
5-7 With Action Project Generated Vehicle Trips: Weekday AM Peak Hour 5-10

5-8 With Action Project Generated Vehicle Trips: Weekday Midday Peak Hour 5-10
5-9 With Action Project Generated Vehicle Trips: Weekday PM Peak Hour 5-10
5-10 With Action Incremental Vehicle Trips: Weekday AM Peak Hour 5-10
5-11 With Action Incremental Vehicle Trips: Weekday Midday Peak Hour 5-10
5-12 With Action Incremental Vehicle Trips: Weekday PM Peak Hour 5-10
5-13 Traffic Analysis Locations 5-10
5-14 No Action Project Generated Pedestrian Trips: Weekday AM Peak Hour 5-12
5-15 No Action Project Generated Pedestrian Trips: Weekday Midday Peak Hour 5-12
5-16 No Action Project Generated Pedestrian Trips: Weekday PM Peak Hour 5-12
5-17 With Action Project Generated Pedestrian Trips: Weekday AM Peak Hour 5-12
5-18 With Action Project Generated Pedestrian Trips: Weekday Midday Peak Hour 5-12
5-19 With Action Project Generated Pedestrian Trips: Weekday PM Peak Hour 5-12
5-20 With Action Incremental Pedestrian Trips: Weekday AM Peak Hour 5-12
5-21 With Action Incremental Pedestrian Trips: Weekday Midday Peak Hour 5-12
5-22 With Action Incremental Pedestrian Trips: Weekday PM Peak Hour 5-12
5-23 Pedestrian Analysis Locations 5-12
5-24 2019 Existing Traffic Volumes: Weekday AM Peak Hour 5-23
5-25 2019 Existing Traffic Volumes: Weekday Midday Peak Hour 5-23
5-26 2019 Existing Traffic Volumes: Weekday PM Peak Hour 5-23
5-27 2023 No Build Projects 5-25
5-28 2023 No Action Traffic Volumes: Weekday AM Peak Hour 5-29
5-29 2023 No Action Traffic Volumes: Weekday Midday Peak Hour 5-29
5-30 2023 No Action Traffic Volumes: Weekday PM Peak Hour 5-29
5-31 2023 With Action Traffic Volumes: Weekday AM Peak Hour 5-32
5-32 2023 With Action Traffic Volumes: Weekday Midday Peak Hour 5-32
5-33 2023 With Action Traffic Volumes: Weekday PM Peak Hour 5-32
5-34 2019 Existing Pedestrian Volumes: Weekday AM Peak Hour 5-38
5-35 2019 Existing Pedestrian Volumes: Weekday Midday Peak Hour 5-38
5-36 2019 Existing Pedestrian Volumes: Weekday PM Peak Hour 5-38
5-37 2023 No Action Pedestrian Volumes: Weekday AM Peak Hour 5-40
5-38 2023 No Action Pedestrian Volumes: Weekday Midday Peak Hour 5-40
5-39 2023 No Action Pedestrian Volumes: Weekday PM Peak Hour 5-40
5-40 2023 With Action Pedestrian Volumes: Weekday AM Peak Hour 5-43

5-41 2023 With Action Pedestrian Volumes: Weekday Midday Peak Hour 5-43
5-42 2023 With Action Pedestrian Volumes: Weekday PM Peak Hour 5-43
5-43 On Street Parking Regulations 5-47
7-1 Noise Receptor Locations 7-5

✷