SPARC Kips Bay
Final Environmental Impact Statement (FEIS)

December 5, 2024

CEQR No.: 23DME013M

ULURP Nos.: 240391PQM, 240371ZRM, 240372PPM, 240369ZMM, 240370ZSM, 240390ZSM, 240373PCM

Lead Agency: New York City Office of the Deputy Mayor for Housing, Economic Development, and Workforce

Lead Agency Contact:
Hilary Semel
Director and General Counsel
Mayor's Office of Environmental Coordination
100 Gold Street, 2nd Floor
New York, NY 10038

Prepared By:
VHB Engineering, Surveying and Landscape Architecture, P.C.
1 Penn Plaza
Suite 715
New York, NY 10119

With:
BJH Advisors, LLC
Fleming Lee Shue
Hunter Roberts
Historical Perspectives, Inc
Indigo River
Inch & Meter
Studio V
Traffic Databank

Prepared For:
New York City Economic Development Corporation
Rebecca Gafvert, Senior Vice President, Land Use
1 Liberty Plaza, New York, NY 10006

A public hearing on the Draft Environmental Impact Statement (DEIS) was held on November 6, 2024. Written comments on the DEIS were accepted through the close of the public review period, which ended at 5:00 PM, November 18, 2024. Following the close of the public review period, the Final EIS (FEIS) was prepared incorporating all substantive comments made on the DEIS and any revisions to the technical analysis necessary to respond to those comments. The FEIS is available on the website of the New York City Department of City Planning, via the SPARC Kips Bay project page on ZAP: https://zap.planning.nyc.gov/projects/2024M0158

To view the SPARC Kips Bay FEIS, navigate to the project page in ZAP and select Public Documents, then "FEIS_23DME013M"

Table of Contents

Section Page

Foreword

Executive Summary 1

Introduction 1
Development Site and Rezoning Area 3
Development Site 3
Rezoning Area 4
Pedestrian Bridge 4
Surrounding Context 5
Medical and Institutional Uses 5
Residential Uses 6
Public Open Spaces 9
Transportation 9
Required Approvals 10
Project Purpose and Need 11
LifeSci NYC 11
SPARC Kips Bay 11
Project Description 12
Development Site 12
Public Realm Improvements 16
Streets and Circulation 17
Analysis Framework and Reasonable Worst-Case Development Scenario 18
Future No-Action Condition 18
Future With-Action Condition and Increment for Analysis 19
Analysis (Build) Year 21
Principal Conclusions of Environmental Analysis 22
Land Use, Zoning, and Public Policy 22
Socioeconomic Conditions 23
Open Space 23
Shadows 24
Historic Resources 24
Urban Design and Visual Resources 25
Hazardous Materials 26
Water and Sewer Infrastructure 27
Transportation 27
Air Quality 29
Greenhouse Gas Emissions 30
Noise 30
Public Health 32

Neighborhood Character *32*
Construction *32*
Alternatives *36*
Mitigation *39*
Unavoidable Significant Adverse Impacts *42*
Growth-Inducing Aspects of the Proposed Project *42*
Irreversible and Irretrievable Commitments of Resources *43*

Project Description 1-1

Introduction 1-1
Development Site and History of Rezoning Area 1-3
Development Site *1-3*
Rezoning Area *1-5*
Pedestrian Bridge 1-5
Surrounding Context 1-5
Medical and Institutional Uses *1-5*
Residential Uses *1-6*
Public Open Spaces *1-9*
Transportation *1-9*
Required Approvals 1-10
Project Purpose and Need 1-11
LifeSci NYC *1-11*
SPARC Kips Bay *1-11*
Project Description 1-12
Development Site *1-12*
Public Realm Improvements *1-17*
Streets and Circulation *1-18*
Framework for Analysis 1-19
Study Area *1-19*
Analysis (Build) Year *1-19*
Existing Condition *1-19*
Future No-Action Condition *1-19*
Future With-Action Condition *1-20*
Public Review Process 1-23
ULURP *1-23*
CEQR and SEQRA *1-23*

Land Use, Zoning, and Public Policy 2-1

Introduction 2-1
Principal Conclusions 2-3
Land Use and Zoning *2-3*
Public Policy *2-3*
Methodology 2-4
Assessment 2-6
Land Use *2-6*
Zoning *2-13*

Public Policy *2-23*

Socioeconomic Conditions **3-1**

Introduction 3-1
Principal Conclusions 3-2
Methodology 3-3
Background *3-3*
Analysis Format *3-3*
Initial Screening Assessment 3-4
Preliminary Assessment 3-5
Indirect Business Displacement Methodology *3-5*
Preliminary Assessment *3-8*

Open Space **4-1**

Introduction 4-1
Principal Conclusions 4-2
Methodology 4-2
Direct Effects Analysis *4-2*
Indirect Analysis *4-2*
Preliminary Assessment 4-7
Existing Conditions *4-7*
No-Action Condition *4-10*
With-Action Condition *4-11*

Shadows **5-1**

Introduction 5-1
Principal Conclusions 5-2
Methodology 5-2
Sunlight-Sensitive Resources *5-2*
Preliminary Assessment *5-3*
Determination of Significance *5-4*
Preliminary Assessment 5-5
Tiers 1 and 2 Screening *5-5*
Tier 3 Screening Assessment *5-10*
Detailed Assessment 5-16
No-Action Condition *5-16*
With-Action Condition *5-17*
Historic Resources *5-18*
Open Space Resources *5-19*
Natural Resources *5-25*

Historic and Cultural Resources 6-1

Introduction 6-1
Principal Conclusions 6-3
Methodology 6-3
Preliminary Assessment 6-6
Existing Conditions 6-6
No-Action Condition 6-17
With-Action Condition 6-19

Urban Design and Visual Resources 7-1

Introduction 7-1
Principal Conclusions 7-2
Urban Design 7-2
Visual Resources 7-3
Methodology 7-3
Assessment Criteria 7-5
Study Area 7-6
Detailed Analysis 7-6
Existing Conditions 7-6
No-Action Condition 7-14
With-Action Condition 7-16

Hazardous Materials 8-1

Introduction 8-1
Principal Conclusions 8-3
Methodology 8-3
Phase I ESA Methodology 8-3
Preliminary Assessment 8-4
Existing Conditions 8-4
No-Action Condition 8-7
With-Action Condition 8-7

Water and Sewer Infrastructure 9-1

Introduction 9-1
Principal Conclusions 9-2
Methodology 9-3
Existing Conditions 9-4
Water Supply 9-4
Conveyance System 9-5
Stormwater Flows 9-8
No-Action Condition 9-8
With-Action Condition 9-8
Sanitary Flows 9-9
Stormwater Flows 9-10

Transportation 10-1

Introduction 10-1
Principal Conclusions *10-4*
Methodology 10-6
Level 1 Screening Assessment *10-6*
Level 1 Screening Results *10-13*
Level 2 Screening Assessment *10-21*
Level 2 Screening Results *10-42*
Detailed Analysis Methodology 10-48
Traffic *10-48*
Parking *10-49*
Transit *10-49*
Pedestrians *10-51*
Vehicle and Pedestrian Safety *10-54*
Existing Conditions 10-55
Traffic *10-55*
Parking *10-73*
Subways *10-75*
Buses *10-79*
Pedestrians *10-81*
No-Action Conditions 10-93
Traffic *10-93*
Parking *10-112*
Subways *10-112*
Buses *10-115*
Pedestrians *10-118*
With-Action Conditions 10-130
Traffic *10-130*
Parking *10-158*
Subways *10-159*
Buses *10-163*
Pedestrians *10-166*
Vehicular and Pedestrian Safety *10-177*

Air Quality 11-1

Introduction 11-1
Principal Conclusions 11-2
Pollutants and Applicable Standards/Guidelines 11-2
Pollutants of Concern *11-3*
Ambient Air Quality Standards *11-4*
Regulatory Context *11-7*
Impact Criteria *11-7*
Background Concentrations *11-8*
Methodology and Screening Analyses 11-9
Mobile Source Analysis *11-9*

Assessment 11-17
Mobile Source Intersection Analysis *11-17*
Atypical Source Analysis *11-18*
Parking Analysis *11-18*
Laboratory Chemical Spill Analysis *11-19*

Greenhouse Gas Emissions and Climate Change 12-1

Introduction 12-1
Principal Conclusions 12-2
Background and Methodology 12-3
Pollutants of Concern *12-3*
Policy and Regulations on GHG Emissions and Climate Resilience *12-5*
Methodology for Quantifying GHG Emissions *12-8*
Methodology for Evaluating Resilience to Climate Change *12-9*
Assessment 12-9
Projected GHG Emissions *12-9*
Evaluation of the Proposed Project Consistency with GHG Reduction Goals *12-12*
Resilience to Climate Change *12-15*

Noise 13-1

Introduction 13-1
Principal Conclusions 13-3
Existing Noise Receptors *13-3*
New Noise Receptors *13-4*
Noise Background 13-5
Noise Standards and Impact Criteria 13-7
Noise Exposure Guidelines *13-7*
Impact Criteria *13-7*
Assessment Methodology 13-9
General Methodology *13-9*
Mobile Sources *13-10*
Stationary Sources *13-10*
Existing Condition 13-11
No-Action Condition 13-14
With-Action Condition 13-14
Stationary Source Noise Analysis *13-17*
Acceptability Assessment *13-17*

Noise Attenuation Measures 13-18

Public Health 14-1

Introduction 14-1
Principal Conclusions 14-2
Methodology 14-2
Assessment 14-2

Neighborhood Character 15-1

Introduction 15-1
Principal Conclusions 15-2
Methodology 15-2
Preliminary Assessment 15-4
Defining Features of the Neighborhood 15-4
Potential to Affect the Defining Features of the Neighborhood 15-5
Potential to Affect the Contributing Elements of Neighborhood Character 15-6

Construction 16-1

Introduction 16-1
Principal Conclusions 16-2
Transportation 16-2
Air Quality 16-4
Noise 16-4
Vibration 16-5
Other Technical Areas 16-5
Methodology 16-6
Construction Regulations and General Practices 16-6
Construction Oversight 16-6
Construction Hours 16-7
Construction Practices 16-8
Construction Description 16-10
Construction Schedule 16-10
Construction Activities 16-13
Abatement and Demolition 16-13
Excavation and Foundation 16-13
Superstructure and Exterior Construction (Core and Shell) 16-14
Interiors and Finishing 16-14
Number of Construction Workers and Material Deliveries 16-15
Assessment of Project Construction 16-15
Land Use and Neighborhood Character 16-15
Socioeconomic Conditions 16-16
Community Facilities 16-16
Open Space 16-16
Historic and Cultural Resources 16-16
Hazardous Materials 16-17

Transportation *16-17*
Air Quality *16-80*
Noise *16-89*
Vibration *16-102*
Water and Sewer Infrastructure *16-102*

Alternatives 17-1

Introduction 17-1
Principal Conclusions 17-2
No-Action Alternative *17-2*
No Unmitigated Significant Adverse Impacts Alternative *17-2*
No-Action Alternative 17-4
Description of the No-Action Alternative *17-4*
Land Use, Zoning, and Public Policy *17-4*
Socioeconomic Conditions *17-4*
Open Space *17-5*
Shadows *17-5*
Historic and Cultural Resources *17-5*
Urban Design and Visual Resources *17-6*
Hazardous Materials *17-6*
Water and Sewer Infrastructure *17-7*
Transportation *17-7*
Air Quality *17-7*
Greenhouse Gas Emissions and Climate Change *17-7*
Noise *17-7*
Public Health *17-8*
Neighborhood Character *17-8*
Construction *17-8*
No Unmitigated Significant Adverse Impacts Alternative 17-8
Historic and Cultural Resources *17-8*
Transportation *17-9*

Mitigation 18-1

Introduction 18-1
Principal Conclusions 18-1
Historic and Cultural Resources *18-1*
Transportation *18-2*
Construction *18-5*
Historic and Cultural Resources 18-6
Transportation 18-7
Traffic *18-7*
Subways *18-37*
Buses *18-39*
Pedestrians *18-39*
Construction 18-45
Construction Transportation *18-45*

Construction Noise *18-45*

Unavoidable Significant Adverse Impacts **19-1**

Introduction 19-1
Historic and Cultural Resources 19-1
Transportation 19-2
Traffic *19-2*
Subways *19-2*
Pedestrians *19-2*
Construction 19-3
Traffic *19-3*

Growth-Inducing Aspects of the Proposed Project **20-1**

Introduction 20-1
Principal Conclusions 20-2

Irreversible and Irretrievable Commitments of Resources **21-1**

Response to Comments on the DEIS **22-1**

1. Introduction 22-1
2. List of Elected Officials, Organizations, and Individuals who Commented on the Draft Environmental Impact Statement 22-1
   Elected Officials *22-1*
   Organizations and Interested Public *22-2*
3. Comments and Responses on the DEIS 22-2
   Comments Received in Support of the Proposed Action *22-2*
   Comments Relating to EIS Analyses *22-3*

Appendices

Appendix A ..... **Waterfront Revitalization Program Consistency Assessment Form**

Appendix B ..... **LPC Correspondence**

Appendix C ..... **OPRHP Response Letter**

Appendix D ..... **Letters in Response to the Draft Scope of Work**

List of Tables

Table No.	Title	Page

Table 1	Breakdown of Programs by Primary User	ES-15
Table 2	Future No-Action and With-Action Comparison	ES-20
Table 1-1	Breakdown of Programs by Primary User	1-16
Table 1-2	Future No-Action and With-Action Comparison	1-21
Table 2-1	Study Area Generalized Land Use	2-8
Table 2-2	No-Action Projects Within Quarter-Mile Study Area	2-11
Table 3-1	Estimated Employees in Quarter-Mile Study Area, Manhattan, and New York City	3-9
Table 4-1	Percent Change Guidance to Determine Possible Open Space Impact	4-7
Table 4-2	Existing Non-Residential and Residential Population in the Study Area	4-8
Table 4-3	Existing Non-Residential Study Area Open Spaces	4-9
Table 4-4	Existing Conditions – Adequacy of Open Space Resources	4-10
Table 4-5	No-Action Projects in the Residential Study Area	4-10
Table 4-6	No-Action Condition – Adequacy of Open Space Resources	4-11
Table 4-7	With-Action Condition – Adequacy of Open Space Resources	4-12
Table 4-8	Open Space Ratios Summary	4-12
Table 5-1	Sunlight-Sensitive Resources in the Study Area	5-8
Table 5-2	Tier 1-3 Screening Results	5-11
Table 5-3	Detailed Analysis Summary of Incremental Shadow Entry/Exit Times	5-18
Table 6-1	S/NRHP-Listed and Eligible and NYCL Previously Identified Architectural Resources	6-9
Table 9-1	Water Consumption and Wastewater Generation Rates	9-4
Table 9-2	Existing Water Consumption and Sewage Generation	9-5
Table 9-3	Newtown Creek Average Monthly Flows	9-6
Table 9-4	Existing Surface Coverage to Outfall NC-039	9-8
Table 9-5	Existing Surface Coverage to Outfall NC-040	9-8
Table 9-6	With-Action Water Consumption and Sewage Generation	9-9
Table 9-7	With-Action Surface Coverage to Outfall NC-039	9-10
Table 9-8	With-Action Surface Coverage to Outfall NC-040	9-10
Table 9-9	NYC DEP Flow Volume Matrix – Existing Conditions to NC-039	9-11
Table 9-10	NYC DEP Flow Volume Matrix – With-Action Conditions to NC-039	9-11

Table 9-11 NYC DEP Flow Volume Matrix – Existing Conditions to NC-040 9-11
Table 9-12 NYC DEP Flow Volume Matrix – With-Action Conditions to NC-040 9-12
Table 9-13 Existing and With-Action Total Volume to Newtown Creek WRRF 9-12
Table 10-1 Development Increment for Analysis 10-4
Table 10-2 Travel Demand Characteristics 10-7
Table 10-2 Travel Demand Characteristics (continued) 10-8
Table 10-3 Summary of Project-Generated Person Trips 10-14
Table 10-4 Summary of Project-Generated Person Trips (by Land Use) 10-15
Table 10-5 Summary of Project-Generated Vehicle Trips 10-18
Table 10-6 Summary of Project-Generated Vehicle Trips (by Land Use) 10-19
Table 10-7 Subway Line Haul Screening – No. 6 Subway Line 10-45
Table 10-8 Level of Service Criteria for Subway Station Elements 10-50
Table 10-9 Significant Impact Guidance for Stairs and Passageways 10-51
Table 10-10 Level of Service Criteria for Pedestrian Elements 10-52
Table 10-11 Significant Impact Criteria for Sidewalks – CBD Areas 10-53
Table 10-12 Significant Impact Criteria for Corners and Crosswalks 10-54
Table 10-13 Year 2019 Existing Traffic Level of Service Summary – Overall Intersections 10-63
Table 10-14 Year 2019 Existing Traffic Level of Service Summary – Traffic Movements 10-63
Table 10-15 Year 2019 Existing Traffic Level of Service 10-64
Table 10-16 Off-Street Parking Inventory 10-75
Table 10-17 Existing Subway Station Level of Service – Fare Control Areas 10-77
Table 10-18 Existing Subway Station Level of Service – Stairways – AM Peak Hour 10-78
Table 10-19 Existing Subway Station Level of Service – Stairways – PM Peak Hour 10-79
Table 10-20 Existing Local Bus Analysis 10-80
Table 10-21 Year 2023 Existing Pedestrian Levels of Service Summary 10-88
Table 10-22 Year 2023 Existing Pedestrian Levels of Service – Sidewalks 10-89
Table 10-23 Year 2023 Existing Pedestrian Levels of Service – Crosswalks 10-91
Table 10-24 Year 2023 Existing Pedestrian Levels of Service – Corners 10-92
Table 10-25 Background Development Projects 10-93
Table 10-26 Year 2031 No-Action Traffic Level of Service Summary – Overall Intersections 10-101
Table 10-27 Year 2031 No-Action Traffic Level of Service Summary – Traffic Movements 10-101
Table 10-28 Year 2031 No-Action Traffic Level of Service 10-102

Table 10-29 No-Action Condition Subway Station Level of Service – Fare Control Areas 10-113
Table 10-30 No-Action Condition Subway Station Level of Service – Stairways – AM Peak Hour 10-114
Table 10-31 No-Action Condition Subway Station Level of Service – Stairways – PM Peak Hour 10-115
Table 10-32 No-Action Bus Analysis 10-117
Table 10-33 Year 2031 No-Action Pedestrian Levels of Service Summary 10-125
Table 10-34 Year 2031 No-Action Pedestrian Levels of Service – Sidewalks 10-126
Table 10-35 Year 2031 No-Action Pedestrian Levels of Service – Crosswalks 10-128
Table 10-36 Year 2031 No-Action Pedestrian Levels of Service – Corners 10-129
Table 10-37 Year 2031 With-Action Traffic Level of Service Summary – Overall Intersections 10-137
Table 10-38 Year 2031 With-Action Traffic Level of Service Summary – Traffic Movements ... 10-137
Table 10-39 Year 2031 With-Action Traffic Level of Service Summary – AM Peak Hour 10-138
Table 10-40 Year 2031 With-Action Traffic Level of Service Summary – Midday Peak Hour ... 10-144
Table 10-41 Year 2031 With-Action Traffic Level of Service Summary – PM Peak Hour 10-150
Table 10-42 Projected Weekday Parking Demand 10-159
Table 10-43 No-Action vs. With-Action Subway Station Level of Service – Fare Control Areas 10-161
Table 10-44 No-Action vs. With-Action Subway Station Level of Service – Stairways – AM Peak Hour 10-162
Table 10-45 No-Action vs. With-Action Subway Station Level of Service – Stairways – PM Peak Hour 10-163
Table 10-46 With-Action Condition Bus Analysis 10-165
Table 10-47 Year 2031 With-Action Pedestrian Levels of Service Summary 10-173
Table 10-48 Year 2031 No-Action vs. With-Action Pedestrian Levels of Service – Sidewalks .. 10-174
Table 10-49 Year 2031 No-Action vs. With-Action Pedestrian Levels of Service – Crosswalks 10-176
Table 10-50 Year 2031 With-Action Pedestrian Levels of Service – Corners 10-177
Table 10-51 Vehicle and Pedestrian Crash Summary 10-179
Table 11-1 National Ambient Air Quality Standards 11-6
Table 11-2 Background Concentrations 11-9
Table 11-3 Laboratory Hood Exhaust Parameters 11-14
Table 11-4 Chemicals Analyzed for Worst-Case Spill Analysis 11-15
Table 11-5 Estimated Emissions from a Spill in a Fume Hood 11-15

Table 11-6 Mobile Source Analysis Results 11-17
Table 11-7 Atypical Source Analysis Results 11-18
Table 11-8 Recirculation Analysis Results 11-19
Table 11-9 Dispersion Analysis Results 11-19
Table 12-1 Global Warming Potential (GWP) for Primary Greenhouse Gases 12-4
Table 12-2 Building Operational Emissions 12-10
Table 12-3 Annual Vehicle Miles Traveled (Miles Per Year) 12-10
Table 12-4 Annual Mobile Source GHG Emissions (metric tons CO_2e) 12-11
Table 12-5 Summary of Annual GHG Emissions (Metric Tons of CO_2e) 12-11
Table 13-1 Common Indoor and Outdoor Sound Levels 13-6
Table 13-2 Noise Exposure Guidelines for Use in City Environmental Impact Review[1] 13-8
Table 13-3 Sound Level Measurement Results 13-12
Table 13-4 Mobile Source Noise Analysis at Roadway Segments for No-Action Condition 13-14
Table 13-5 Mobile Source Noise Analysis at Roadway Segments 13-15
Table 13-6 Adjusted Existing Condition Sound Levels 13-16
Table 13-7 No-Action Condition Sound Levels 13-16
Table 13-8 With-Action Condition Sound Levels 13-17
Table 13-9 With-Action Condition Sound Level at Closest Noise-Sensitive Building (South Façade of Building A – Site 4) 13-17
Table 13-10 Sound Level Acceptability, dBA 13-18
Table 13-11 Required Attenuation Values 13-19
Table 16-1 Average Number of Daily Construction Workers and Trucks by Quarter 16-15
Table 16-2 Average Number of Daily Construction Vehicle and PCE Trips by Quarter 16-18
Table 16-3 Construction Vehicle Trips by Hour (Q3 2029) 16-19
Table 16-4 Vehicle Trips Comparison – Construction vs. Operational Conditions 16-19
Table 16-5 Year 2019 Existing Construction Traffic Levels of Service 16-26
Table 16-6 Year 2029 No-Action Construction Traffic Levels of Service 16-40
Table 16-7 Year 2029 Construction No-Action vs. With-Action vs Mitigation Traffic Levels of Service – AM Construction Peak Hour 16-55
Table 16-8 Year 2029 Construction No-Action vs. With-Action vs Mitigation Traffic Levels of Service – PM Construction Peak Hour 16-62
Table 16-9 Year 2023 Existing Pedestrian Levels of Service – Sidewalks 16-72
Table 16-10 Year 2023 Existing Pedestrian Levels of Service – Crosswalks 16-72

Table 16-11 Year 2023 Existing Pedestrian Levels of Service – Corners 16-73
Table 16-12 Year 2029 No-Action Pedestrian Levels of Service – Sidewalks 16-74
Table 16-13 Year 2029 No-Action Pedestrian Levels of Service – Crosswalks 16-74
Table 16-14 Year 2029 No-Action Pedestrian Levels of Service – Corners 16-75
Table 16-15 Year 2029 No-Action vs. With-Action vs. Mitigation Pedestrian Levels of Service – Sidewalks 16-76
Table 16-16 Year 2029 No-Action vs. With-Action vs. Mitigation Pedestrian Levels of Service - Crosswalks 16-78
Table 16-17 Year 2029 No-Action vs. With-Action vs. Mitigation Pedestrian Levels of Service - Corners 16-79
Table 16-18 Comparison of $PM_{2.5}$ Construction Emissions 16-86
Table 16-19 Mobile Source Analysis Results 16-89
Table 16-20 Construction Mobile Source Analysis 16-92
Table 16-21 Construction Equipment by Month of Analysis 16-94
Table 16-22 Construction Noise Receptor Locations and Land Use Descriptions 16-97
Table 16-23 Ambient Sound Level Measurements 16-98
Table 16-24 Construction Noise Assessment Results Summary 16-99
Table 18-1 Traffic Impact Mitigation Summary 18-7
Table 18-2 Summary of Significantly Impacted Traffic Movements 18-8
Table 18-3 No-Action vs With-Action vs Mitigation Traffic Levels of Service Comparison – AM Peak Hour 18-10
Table 18-4 No-Action vs With-Action vs Mitigation Traffic Levels of Service Comparison – Midday Peak Hour 18-18
Table 18-5 No-Action vs With-Action vs Mitigation Traffic Levels of Service Comparison – PM Peak Hour 18-26
Table 18-6 With-Action with Mitigation Bus Analysis 18-40
Table 18-7 Summary of Elements with Significant Adverse Pedestrian Impacts 18-41
Table 18-8 Sidewalk Impact Mitigation Summary 18-42
Table 18-9 Crosswalk Impact Mitigation Summary 18-43
Table 18-10 Corner Impact Mitigation Summary 18-45

List of Figures

Figure No.	Title	Page

Figure 1 Site Location Map....ES-8
Figure 1-1 Site Location Map....1-8
Figure 1-2 Illustrative Site Plan....1-15
Figure 1-1 Site Location Map....1-8
Figure 2-1 Land Use Map....2-5
Figure 2-2 No-Action Projects within the Quarter-Mile Study Area....2-10
Figure 2-3 Existing Zoning Map....2-14
Figure 2-4 Proposed Zoning Map....2-22
Figure 3-1 Quarter-Mile Study Area....3-7
Figure 4-1 Quarter-Mile Open Space Study Area Map....4-4
Figure 5-1 Illustrative Site Plan....5-6
Figure 5-2 Tier 1 and Tier 2 Screening....5-9
Figure 5-3 Tier 3 Screening, December 21 Analysis Day....5-12
Figure 5-4 Tier 3 Screening, March 21 / September 21 Analysis Day....5-13
Figure 5-5 Tier 3 Screening, May 6 / August 6 Analysis Day....5-14
Figure 5-6 Tier 3 Screening, June 21 Analysis Day....5-15
Figure 5-7 Bellevue South Park Schematic Layout....5-19
Figure 5-8 December 21 – 8:51 AM....5-28
Figure 5-9 December 21 – 8:51 AM....5-30
Figure 5-10 December 21 – 9:21 AM....5-30
Figure 5-11 December 21 – 9:51 AM....5-31
Figure 5-12 March 21 – 9:03 AM....5-31
Figure 5-13 March 21 – 9:33 AM....5-32
Figure 5-14 March 21 – 10:03 AM....5-32
Figure 5-15 March 21 – 10:33 AM....5-33
Figure 5-16 December 21 – 12:50 PM....5-35
Figure 5-17 December 21 – 1:20 PM....5-35
Figure 5-18 December 21 – 1:50 PM....5-36
Figure 5-19 December 21 – 2:20 PM....5-36
Figure 5-20 March 21 – 3:10 PM....5-37

Figure 5-21 March 21 – 3:40 PM 5-37
Figure 5-22 March 21 – 4:10 PM 5-38
Figure 5-23 December 21 – 2:01 PM 5-40
Figure 5-24 December 21 – 2:31 PM 5-40
Figure 5-25 December 21 – 10:41 AM 5-42
Figure 5-26 December 21 – 11:11 AM 5-42
Figure 5-27 December 21 – 11:41 AM 5-43
Figure 5-28 December 21 – 12:11 PM 5-43
Figure 5-29 December 21 – 12:41 PM 5-44
Figure 5-30 December 21 – 1:11 PM 5-44
Figure 5-31 December 21 – 1:41 PM 5-45
Figure 5-32 December 21 – 2:11 PM 5-45
Figure 5-33 December 21 – 2:41 PM 5-46
Figure 5-34 March 21 – 10:12 AM 5-46
Figure 5-35 March 21 – 10:42 AM 5-47
Figure 5-36 March 21 – 11:12 AM 5-47
Figure 5-37 March 21 – 11:42 AM 5-48
Figure 5-38 March 21 – 12:12 PM 5-48
Figure 5-39 March 21 – 12:42 PM 5-49
Figure 5-40 March 21 – 1:12 PM 5-49
Figure 5-41 March 21 – 1:42 PM 5-50
Figure 5-42 March 21 – 2:12 PM 5-50
Figure 5-43 March 21 – 2:42 PM 5-51
Figure 5-44 March 21 – 3:12 PM 5-51
Figure 5-45 March 21 – 3:42 PM 5-52
Figure 5-46 March 21 – 4:12 PM 5-52
Figure 5-47 May 6 – 10:40 AM 5-53
Figure 5-48 May 6 – 11:10 AM 5-53
Figure 5-49 May 6 – 11:40 AM 5-54
Figure 5-50 May 6 – 12:10 PM 5-54
Figure 5-51 May 6 – 12:40 PM 5-55
Figure 5-52 May 6 – 1:10 PM 5-55

Figure 5-53 May 6 – 1:40 PM 5-56
Figure 5-54 May 6 – 2:10 PM 5-56
Figure 5-55 May 6 – 2:40 PM 5-57
Figure 5-56 May 6 – 3:10 PM 5-57
Figure 5-57 May 6 – 3:40 PM 5-58
Figure 5-58 May 6 – 4:10 PM 5-58
Figure 5-59 May 6 – 4:40 PM 5-59
Figure 5-60 June 21 – 11:05 AM 5-59
Figure 5-61 June 21 – 11:35 AM 5-60
Figure 5-62 June 21 – 12:05 PM 5-60
Figure 5-63 June 21 – 12:35 PM 5-61
Figure 5-64 June 21 – 1:05 PM 5-61
Figure 5-65 June 21 – 1:35 PM 5-62
Figure 5-66 June 21 – 2:05 PM 5-62
Figure 5-67 June 21 – 2:35 PM 5-63
Figure 5-68 June 21 – 3:05 PM 5-63
Figure 5-69 June 21 – 3:35 PM 5-64
Figure 5-70 June 21 – 4:05 PM 5-64
Figure 5-71 June 21 – 4:35 PM 5-65
Figure 5-72 December 21 – 2:21 PM 5-67
Figure 5-73 December 21 – 2:51 PM 5-67
Figure 5-74 March 21 – 3:20 PM 5-68
Figure 5-75 March 21 – 3:50 PM 5-68
Figure 5-76 March 21 – 4:20 PM 5-69
Figure 5-77 May 6 – 4:00 PM 5-69
Figure 5-78 May 6 – 4:30 PM 5-70
Figure 5-79 May 6 – 5:00 PM 5-70
Figure 5-80 June 21 – 4:20 PM 5-71
Figure 5-81 June 21 – 4:50 PM 5-71
Figure 6-1 Historic Resources Map 6-14
Figure 7-1 Study Area with Photograph Locations 7-8
Figure 7-2 Comparative View Facing South on First Avenue at East 27th Street 7-18

Figure 7-3 Comparative View Facing North on First Avenue from East 24th Street 7-22
Figure 7-4 Comparative View Facing East Toward First Avenue from East 25th Street 7-23
Figure 7-5 Comparative View facing north toward the Development Site from east of FDR Drive 7-24
Figure 7-6 Comparative View Facing East Toward First Avenue from Former East 26th Street 7-25
Figure 7-7 Comparative View Facing West Toward FDR Drive and Along East 25th Street 7-26
Figure 7-8 Comparative View Facing North Toward the Development Site from west of FDR Drive 7-27
Figure 8-1 E-Designation Map 8-8
Figure 9-1 Development Site Drainage Network 9-7
Figure 10-1 Project Location 10-3
Figure 10-2 Illustrative Development Site Layout 10-22
Figure 10-3 Year 2031 Pedestrian Increment Volumes – AM Peak Hour (East side) 10-24
Figure 10-4 Year 2031 Pedestrian Increment Volumes – AM Peak Hour (West side) 10-25
Figure 10-5 Year 2031 Pedestrian Increment Volumes – Midday Peak Hour (East side) 10-26
Figure 10-6 Year 2031 Pedestrian Increment Volumes – Midday Peak Hour (West side) 10-27
Figure 10-7 Year 2031 Pedestrian Increment Volumes – PM Peak Hour (East side) 10-28
Figure 10-8 Year 2031 Pedestrian Increment Volumes – PM Peak Hour (West side) 10-29
Figure 10-9 Year 2031 Pedestrian Increment Volumes – Saturday Peak Hour (East side) 10-30
Figure 10-10 Year 2031 Pedestrian Increment Volumes – Saturday Peak Hour (West side) 10-31
Figure 10-11 Year 2031 Traffic Increment Volumes – AM Peak Hour (north side) 10-34
Figure 10-12 Year 2031 Traffic Increment Volumes – AM Peak Hour (south side) 10-35
Figure 10-13 Year 2031 Traffic Increment Volumes – Midday Peak Hour (north side) 10-36
Figure 10-14 Year 2031 Traffic Increment Volumes – Midday Peak Hour (south side) 10-37
Figure 10-15 Year 2031 Traffic Increment Volumes – PM Peak Hour (north side) 10-38
Figure 10-16 Year 2031 Traffic Increment Volumes – PM Peak Hour (south side) 10-39
Figure 10-17 Year 2031 Traffic Increment Volumes – Saturday Peak Hour (north side) 10-40
Figure 10-18 Year 2031 Traffic Increment Volumes – Saturday Peak Hour (south side) 10-41
Figure 10-19 Traffic Study Area 10-43
Figure 10-20 Transit Study Area 10-44
Figure 10-21 Pedestrian Study Area 10-47
Figure 10-22 Year 2019 Existing Traffic Volumes – AM Peak Hour (north side) 10-57

Figure 10-23 Year 2019 Existing Traffic Volumes – AM Peak Hour (south side) 10-58
Figure 10-24 Year 2019 Existing Traffic Volumes – Midday Peak Hour (north side) 10-59
Figure 10-25 Year 2019 Existing Traffic Volumes – Midday Peak Hour (south side) 10-60
Figure 10-26 Year 2019 Existing Traffic Volumes – PM Peak Hour (north side) 10-61
Figure 10-27 Year 2019 Existing Traffic Volumes – PM Peak Hour (south side) 10-62
Figure 10-28 Off-Street Parking Inventory 10-74
Figure 10-29 Year 2023 Existing Pedestrian Volumes – AM Peak Hour (east side) 10-82
Figure 10-30 Year 2023 Existing Pedestrian Volumes – AM Peak Hour (west side) 10-83
Figure 10-31 Year 2023 Existing Pedestrian Volumes – Midday Peak Hour (east side) 10-84
Figure 10-32 Year 2023 Existing Pedestrian Volumes – Midday Peak Hour (west side) 10-85
Figure 10-33 Year 2023 Existing Pedestrian Volumes – PM Peak Hour (east side) 10-86
Figure 10-34 Year 2023 Existing Pedestrian Volumes – PM Peak Hour (west side) 10-87
Figure 10-35 Year 2031 No-Action Traffic Volumes – AM Peak Hour (north side) 10-94
Figure 10-36 Year 2031 No-Action Traffic Volumes – AM Peak Hour (south side) 10-95
Figure 10-37 Year 2031 No-Action Traffic Volumes – Midday Peak Hour (north side) 10-96
Figure 10-38 Year 2031 No-Action Traffic Volumes – Midday Peak Hour (south side) 10-97
Figure 10-39 Year 2031 No-Action Traffic Volumes – PM Peak Hour (north side) 10-98
Figure 10-40 Year 2031 No-Action Traffic Volumes – PM Peak Hour (south side) 10-99
Figure 10-41 Year 2031 No-Action Pedestrian Volumes – AM Peak Hour (east side) 10-119
Figure 10-42 Year 2031 No-Action Pedestrian Volumes – AM Peak Hour (west side) 10-120
Figure 10-43 Year 2031 No-Action Pedestrian Volumes – Midday Peak Hour (east side) 10-121
Figure 10-44 Year 2031 No-Action Pedestrian Volumes – Midday Peak Hour (west side) 10-122
Figure 10-45 Year 2031 No-Action Pedestrian Volumes – PM Peak Hour (east side) 10-123
Figure 10-46 Year 2031 No-Action Pedestrian Volumes – PM Peak Hour (west side) 10-124
Figure 10-47 Year 2031 With-Action Traffic Volumes – AM Peak Hour (north side) 10-131
Figure 10-48 Year 2031 With-Action Traffic Volumes – AM Peak Hour (south side) 10-132
Figure 10-49 Year 2031 With-Action Traffic Volumes – Midday Peak Hour (north side) 10-133
Figure 10-50 Year 2031 With-Action Traffic Volumes – Midday Peak Hour (south side) 10-134
Figure 10-51 Year 2031 With-Action Traffic Volumes – PM Peak Hour (north side) 10-135
Figure 10-52 Year 2031 With-Action Traffic Volumes – PM Peak Hour (south side) 10-136
Figure 10-53 Year 2031 With-Action Pedestrian Volumes – AM Peak Hour (east side) 10-167
Figure 10-54 Year 2031 With-Action Pedestrian Volumes – AM Peak Hour (west side) 10-168

Figure 10-55 Year 2031 With-Action Pedestrian Volumes – Midday Peak Hour (east side) 10-169
Figure 10-56 Year 2031 With-Action Pedestrian Volumes – Midday Peak Hour (west side) 10-170
Figure 10-57 Year 2031 With-Action Pedestrian Volumes – PM Peak Hour (east side) 10-171
Figure 10-58 Year 2031 With-Action Pedestrian Volumes – PM Peak Hour (west side) 10-172
Figure 13-1 Noise Monitoring Locations 13-13
Figure 13-2 Composite Window/Wall Sound Attenuation Requirements 13-21
Figure 16-1 Anticipated Construction Schedule 16-11
Figure 16-2 Year 2019 Existing Traffic Volumes – AM Construction Peak Hour (north side) 16-22
Figure 16-3 Year 2019 Existing Traffic Volumes – AM Construction Peak Hour (south side) 16-23
Figure 16-4 Year 2019 Existing Traffic Volumes – PM Construction Peak Hour (north side) 16-24
Figure 16-5 Year 2019 Existing Traffic Volumes – PM Construction Peak Hour (south side) 16-25
Figure 16-6 Year 2029 No Action Traffic Volumes – AM Construction Peak Hour (north side) . 16-33
Figure 16-7 Year 2029 No-Action Traffic Volumes – AM Construction Peak Hour (south side) 16-35
Figure 16-8 Year 2029 No Action Traffic Volumes – PM Construction Peak Hour (north side) . 16-37
Figure 16-9 Year 2029 No Action Traffic Volumes – PM Construction Peak Hour (south side) . 16-39
Figure 16-10 Year 2029 Construction Increment Traffic Volumes – AM Peak Hour (north side) . 16-47
Figure 16-11 Year 2029 Construction Increment Traffic Volumes – AM Peak Hour (south side) 16-48
Figure 16-12 Year 2029 Construction Increment Traffic Volumes – PM Peak Hour (north side) . 16-49
Figure 16-13 Year 2029 Construction Increment Traffic Volumes – PM Peak Hour (south side) . 16-50
Figure 16-14 Year 2029 With-Action Construction Traffic Volumes – AM Peak Hour (north side) 16-51
Figure 16-15 Year 2029 With-Action Construction Traffic Volumes – AM Peak Hour (south side) 16-52
Figure 16-16 Year 2029 With-Action Construction Traffic Volumes – PM Peak Hour (north side) 16-53
Figure 16-17 Year 2029 With-Action Construction Traffic Volumes – PM Peak Hour (south side) 16-54
Figure 16-18 Projected Peak 12-Month Rolling Average $PM_{2.5}$ Daily Construction Emissions 16-84
Figure 16-19 Projected Peak Daily Average $PM_{2.5}$ Construction Emissions 16-84
Figure 16-20 Construction Noise Receptor Locations 16-96

List of Photos

Figure No.	Title	Page
Photo 5-1	Alexandria Center Public Plaza and Urban Garden	5-23
Photo 6-1	A1, CUNY Hunter College Brookdale Campus and Pedestrian Bridge	6-15
Photo 6-2	A1, CUNY Hunter College Brookdale Campus	6-15
Photo 6-3	A2, Public Baths	6-16
Photo 6-4	A3, Bellevue Hospital C & D Building	6-16
Photo 6-5	A4, Bellevue Administration Building	6-17
Photo 7-1	Development Site Looking Southeast from First Avenue and Former East 26th Street	7-9
Photo 7-2	Facing East Toward Development Site (at Right) at First Avenue and Former East 26th Street	7-9
Photo 7-3	Facing West Toward First Avenue on Former East 26th Street, with the Development Site at Left	7-9
Photo 7-4	Facing West Toward Midblock on former East 26th Street with Development Site at Left	7-9
Photo 7-5	Facing East Toward Waterside Plaza on East 25th Street, with the Development Site at Left	7-10
Photo 7-6	Facing West Toward First Avenue on East 25th Street, with the Development Site at Right	7-10
Photo 7-7	Facing North Toward the Development Site from Asser Levy Playground on East 25th Street	7-10
Photo 7-8	Facing Northeast Toward the Pedestrian Bridge and Waterside Plaza from Asser Levy Playground	7-12
Photo 7-9	Facing West Toward FDR Drive and the Development Site from Waterside Plaza	7-12
Photo 7-10	Facing West Toward the Development Site and Pedestrian Bridge from the East River Greenway	7-13
Photo 7-11	Facing Southwest Toward FDR Drive and Stuyvesant Town-Peter Cooper Village from the East River Greenway	7-13